

Datasheet: MCA1968F BATCH NUMBER 160629

| Description: | MOUSE ANTI HUMAN CD154:FITC | | |
|---------------|-----------------------------|--|--|
| Specificity: | CD154 | | |
| Other names: | CD40 LIGAND, TRAP | | |
| Format: | FITC | | |
| Product Type: | Monoclonal Antibody | | |
| Clone: | MK13A4 | | |
| Isotype: | lgG1 | | |
| Quantity: | 100 TESTS | | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | • | | | Neat - 1/20 |
| Immunohistology - Frozen | | | • | |
| Immunohistology - Paraffin | | | | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species | Human | | |
|------------------|-------------------------|-----------------------------|---------------------|
| Product Form | Purified IgG conju | ugated to Fluorescein Isoth | niocyanate Isomer 1 |
| ax Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm) |
| | FITC | 490 | 525 |
| ffer Solution | Tris buffered salir | ne | |
| servative | <0.1% Sodium Az | zide (NaN ₃) | |
| bilisers | 1% Bovine Serum Albumin | | |
| xternal Database | | | |
| inks | UniProt: | | |

| | 959 CD40LG Related reagents |
|----------------------------------|--|
| Synonyms | CD40L, TNFSF5, TRAP |
| RRID | AB_323214 |
| Specificity | Mouse anti Human CD154 antibody, clone MK13A4 recognizes the human CD154 cell surface antigen, a 32 kDa glycoprotein also known as CD40 ligand. CD154 is expressed on activated T lymphocytes, predominantly CD4+ve cells and also on some basophils and mast cells. |
| | Mouse anti Human CD154 antibody, clone MK13A4 has been reported to block binding of CD40 ligand to its receptor CD40. |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. |
| References | 1. Koumas, L. <i>et al.</i> (2001) Fibroblast heterogeneity: existence of functionally distinct Thy 1(+) and Thy 1(-) human female reproductive tract fibroblasts. Am J Pathol. 159 (3): 925-35. 2. Kaufman, J. <i>et al.</i> (2004) Expression of CD154 (CD40 ligand) by human lung fibroblasts: differential regulation by IFN-gamma and IL-13, and implications for fibrosis. J Immunol. 172:1862-71 3. Arita, S. <i>et al.</i> (2008) B cell activation regulates exosomal HLA production. Eur J Immunol. 38 (5): 1423-34. 4. Deambrosis, I. <i>et al.</i> (2009) Inhibition of CD40-CD154 costimulatory pathway by a cyclic peptide targeting CD154. J Mol Med (Berl). 87 (2): 181-97. |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/MCA1968F 10058 |
| Regulatory | For research purposes only |

P29965

Entrez Gene:

Related reagents

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M389354:210806'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint