

## Datasheet: MCA1968F

<b>Description:</b>	MOUSE ANTI HUMAN CD154:FITC
<b>Specificity:</b>	CD154
<b>Other names:</b>	CD40 LIGAND, TRAP
<b>Format:</b>	FITC
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	MK13A4
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	100 TESTS

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/20
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human		
<b>Product Form</b>	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid		
<b>Max Ex/Em</b>	<b>Fluorophore</b>	<b>Excitation Max (nm)</b>	<b>Emission Max (nm)</b>
	FITC	490	525
<b>Preparation</b>	Antibody purified from tissue culture supernatant		
<b>Buffer Solution</b>	Tris buffered saline		
<b>Preservative</b>	<0.1% sodium azide (NaN <sub>3</sub> )		
<b>Stabilisers</b>	1% bovine serum albumin		
<b>External Database</b>	<b>UniProt:</b>		

**Links**[P29965](#)[Related reagents](#)**Entrez Gene:**[959](#)

CD40LG

[Related reagents](#)**Synonyms**

CD40L, TNFSF5, TRAP

**RRID**

AB\_323214

**Specificity**

**Mouse anti Human CD154 antibody, clone MK13A4** recognizes the human CD154 cell surface antigen, a 32 kDa glycoprotein also known as CD40 ligand. CD154 is expressed on activated T lymphocytes, predominantly CD4+ve cells and also on some basophils and mast cells.

Mouse anti Human CD154 antibody, clone MK13A4 has been reported to block binding of CD40 ligand to its receptor CD40.

**Flow Cytometry**

Use 10µl of the suggested working dilution to label 10<sup>6</sup> cells in 100µl

**References**

1. Koumas, L. *et al.* (2001) Fibroblast heterogeneity: existence of functionally distinct Thy 1(+) and Thy 1(-) human female reproductive tract fibroblasts. [Am J Pathol. 159 \(3\): 925-35.](#)
2. Kaufman, J. *et al.* (2004) Expression of CD154 (CD40 ligand) by human lung fibroblasts: differential regulation by IFN-gamma and IL-13, and implications for fibrosis. [J Immunol. 172:1862-71](#)
3. Arita, S. *et al.* (2008) B cell activation regulates exosomal HLA production. [Eur J Immunol. 38 \(5\): 1423-34.](#)
4. Deambrosis, I. *et al.* (2009) Inhibition of CD40-CD154 costimulatory pathway by a cyclic peptide targeting CD154. [J Mol Med \(Berl\). 87 \(2\): 181-97.](#)

**Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

**Guarantee**

12 months from date of despatch

**Health And Safety Information**

Material Safety Datasheet documentation #10058 available at: 10058: <https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf>

**Regulatory**

For research purposes only

## Related Products

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:FITC \(MCA928F\)](#)

## Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M412383:221111'

**Printed on 11 Nov 2022**

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)