

## Datasheet: MCA1968F

<b>Description:</b>	MOUSE ANTI HUMAN CD154:FITC
<b>Specificity:</b>	CD154
<b>Other names:</b>	CD40 LIGAND, TRAP
<b>Format:</b>	FITC
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	MK13A4
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	100 TESTS

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/20
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human		
<b>Product Form</b>	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid		
<b>Max Ex/Em</b>	<b>Fluorophore</b>	<b>Excitation Max (nm)</b>	<b>Emission Max (nm)</b>
	FITC	490	525
<b>Buffer Solution</b>	Tris buffered saline		
<b>Preservative</b>	0.02% Sodium Azide		
<b>Stabilisers</b>	1% Bovine Serum Albumin		
<b>External Database Links</b>	<b>UniProt:</b> <a href="#">P29965</a> <a href="#">Related reagents</a>		
	<b>Entrez Gene:</b> <a href="#">959</a> CD40LG <a href="#">Related reagents</a>		
<b>Synonyms</b>	CD40L, TNFSF5, TRAP		

**Specificity** **Mouse anti Human CD154 antibody, clone MK13A4** recognizes the human CD154 cell surface antigen, a 32 kDa glycoprotein also known as CD40 ligand. CD154 is expressed on activated T lymphocytes, predominantly CD4+ve cells and also on some basophils and mast cells.

Mouse anti Human CD154 antibody, clone MK13A4 has been reported to block binding of CD40 ligand to its receptor CD40.

---

**Flow Cytometry** Use 10ul of the suggested working dilution to label 10<sup>6</sup> cells in 100ul.

---

**References**

1. Koumas, L. *et al.* (2001) Fibroblast heterogeneity: existence of functionally distinct Thy 1(+) and Thy 1(-) human female reproductive tract fibroblasts. [Am J Pathol. 159 \(3\): 925-35.](#)
2. Kaufman, J. *et al.* (2004) Expression of CD154 (CD40 ligand) by human lung fibroblasts: differential regulation by IFN-gamma and IL-13, and implications for fibrosis. [J Immunol. 172:1862-71](#)
3. Arita, S. *et al.* (2008) B cell activation regulates exosomal HLA production. [Eur J Immunol. 38 \(5\): 1423-34.](#)
4. Deambrosis, I. *et al.* (2009) Inhibition of CD40-CD154 costimulatory pathway by a cyclic peptide targeting CD154. [J Mol Med \(Berl\). 87 \(2\): 181-97.](#)

---

**Storage** Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Shelf Life** 18 months from date of despatch.

---

**Health And Safety Information** Material Safety Datasheet documentation #10058 available at: 10058: <https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf>

---

**Regulatory** For research purposes only

## Related Products

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:FITC \(MCA928F\)](#)

### Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M323204:180727'

Printed on 23 Oct 2018

