

Datasheet: MCA1971A647

BATCH NUMBER 159560

Description:	MOUSE ANTI PIG CD16:Alexa Fluor® 647
Specificity:	CD16
Other names:	FcRIII
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	G7
Isotype:	IgG1
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Pig		
Product Form	Purified IgG conjugated to Alexa Fluor 647 - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665
Preparation	Purified IgG prepared by affinity chromatography on Protein A		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)		
	1% Bovine Serum Albumin		
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml		

Immunogen Porcine peripheral blood leucocytes

External Database

Links

UniProt:

[Q28942](#) [Related reagents](#)

Entrez Gene:

[397684](#) FCGR3B [Related reagents](#)

Fusion Partners

Spleen cells from immunised Balb/c mice were fused with cells of the mouse P3-X63-Ag8.653 myeloma cell line

Specificity

Mouse anti Pig CD16, clone G7 recognizes porcine CD16 also known as Fc-gamma RIII or the low affinity IgG (Fc) receptor III. Clone G7 was clustered as CD16 at the Second International Workshop to Define Swine Cluster of Differentiation (CD) Antigens ([Saalmuller et al. 1998](#)).

Mouse anti pig CD16 immunoprecipitates a protein of ~40 kDa from porcine neutrophils and NK cells ([Wierda et al. 1993](#)). Subsequent cloning and characterization of the G7 molecule indicated that G7 was the porcine homologue of Human CD16 ([Halloran et al. 1994](#)).

Flow Cytometry

Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul.

References

1. Dato, M.E. *et al.* (1992) A triggering structure recognized by G7 monoclonal antibody on porcine lymphocytes and granulocytes. [Cell Immunol. 140 \(2\): 468-77.](#)
2. Wierda, W.G. *et al.* (1993) Two distinct porcine natural killer lytic trigger molecules as PNK-E/G7 molecular complex. [Cell Immunol. 146 \(2\): 270-83.](#)
3. Halloran, P.J. *et al.* (1994) Biochemical characterization of the porcine Fc gamma RIII alpha homologue G7. [Cell Immunol. 158 \(2\): 400-13.](#)
4. Devriendt, B. *et al.* (2010) Targeting of *Escherichia coli* F4 fimbriae to Fcgamma receptors enhances the maturation of porcine dendritic cells. [Vet Immunol Immunopathol. 135 \(3-4\): 188-98.](#)
5. Inman, C.F. *et al.* (2010) Dendritic cells interact with CD4 T cells in intestinal mucosa. [J Leukoc Biol. 88 \(3\): 571-8.](#)
6. Terzic, S. *et al.* (2002) Immunophenotyping of leukocyte subsets in peripheral blood and palatine tonsils of prefattening pigs. [Vet Res Commun. 26: 273 - 83.](#)
7. Masure, D. *et al.* (2013) A Role for Eosinophils in the Intestinal Immunity against Infective *Ascaris suum* Larvae. [PLoS Negl Trop Dis. 7: e2138.](#)
8. Hester, S.N. *et al.* (2012) Intestinal and systemic immune development and response to vaccination are unaffected by dietary (1,3/1,6)-β-D-glucan supplementation in neonatal piglets. [Clin Vaccine Immunol. 19 \(9\): 1499-508.](#)
9. Kapetanovic, R. *et al.* (2012) Pig bone marrow-derived macrophages resemble human macrophages in their response to bacterial lipopolysaccharide. [J Immunol. 188: 3382 - 94.](#)
10. Gimeno, M. *et al.* (2011) Cytokine profiles and phenotype regulation of antigen presenting cells by genotype-I porcine reproductive and respiratory syndrome virus isolates. [Vet Res. 42: 9.](#)
11. Mussá, T. *et al.* (2011) Interaction of porcine conventional dendritic cells with swine

- influenza virus. [Virology 420: 125-34.](#)
12. Vincent, I.E. *et al.* (2003) Dendritic cells harbor infectious porcine circovirus type 2 in the absence of apparent cell modulation or replication of the virus. [J Virol. 77: 13288 - 300.](#)
 13. Inman, C.F. *et al.* (2012) Neonatal colonisation expands a specific intestinal antigen-presenting cell subset prior to CD4 T-cell expansion, without altering T-cell repertoire. [PLoS One 7: e33707.](#)
 14. Sánchez, C. *et al.* (1999) The porcine 2A10 antigen is homologous to human CD163 and related to macrophage differentiation. [J Immunol. 162 \(9\): 5230-7.](#)
 15. Lecours, M.P. *et al.* (2011) Characterization of porcine dendritic cell response to *Streptococcus suis*. [Vet Res. 42: 72.](#)
 16. Inman, C.F. *et al.* (2010) Rearing environment affects development of the immune system in neonates. [Clin Exp Immunol. 160 \(3\): 431-9.](#)
 17. Summerfield, A. *et al.* (2003) Porcine peripheral blood dendritic cells and natural interferon-producing cells. [Immunology 110: 440-9.](#)
 18. Mair, K.H. *et al.* (2012) NKp46 expression discriminates porcine NK cells with different functional properties. [Eur J Immunol. 42: 1261-71.](#)
 19. Mair, K.H. *et al.* (2013) Porcine CD8 α dim⁻/NKp46^{high} NK cells are in a highly activated state. [Vet Res. 44: 13.](#)
 20. Auray, G. *et al.* (2016) Characterization and Transcriptomic Analysis of Porcine Blood Conventional and Plasmacytoid Dendritic Cells Reveals Striking Species-Specific Differences. [J Immunol. Nov 11. pii: 1600672. \[Epub ahead of print\]](#)
 21. Kyrova, K. *et al.* (2014) The response of porcine monocyte derived macrophages and dendritic cells to *Salmonella typhimurium* and lipopolysaccharide. [BMC Vet Res. 10: 244.](#)
 22. Suzuki, S. *et al.* (2016) Generation and characterization of RAG2 knockout pigs as animal model for severe combined immunodeficiency. [Vet Immunol Immunopathol. 178: 37-49.](#)
 23. Waide, E.H. *et al.* (2015) Not All SCID Pigs Are Created Equally: Two Independent Mutations in the Artemis Gene Cause SCID in Pigs. [J Immunol. 195 \(7\): 3171-9.](#)
 24. Loss, H. *et al.* (2018) Effects of a pathogenic ETEC strain and a probiotic *Enterococcus faecium* strain on the inflammasome response in porcine dendritic cells. [Vet Immunol Immunopathol. 203: 78-87.](#)
 25. LeLuduec, J.B. *et al.* (2016) Intradermal vaccination with un-adjuvanted sub-unit vaccines triggers skin innate immunity and confers protective respiratory immunity in domestic swine. [Vaccine. 34 \(7\): 914-22.](#)
 26. Ferret-Bernard, S. *et al.* (2020) Maternal Supplementation of Food Ingredient (Prebiotic) or Food Contaminant (Mycotoxin) Influences Mucosal Immune System in Piglets. [Nutrients. 12 \(7\): 2115.](#)
 27. Skovdal, S.M. *et al.* (2019) Inhaled nebulized glatiramer acetate against Gram-negative bacteria is not associated with adverse pulmonary reactions in healthy, young adult female pigs. [PLoS One. 14 \(10\): e0223647.](#)
 28. Fernández-Caballero, T. *et al.* (2018) Phenotypic and functional characterization of porcine bone marrow monocyte subsets. [Dev Comp Immunol. 81: 95-104.](#)
 29. Teuben, M.P.J. *et al.* (2021) Standardized porcine unilateral femoral nailing is associated with changes in PMN activation status, rather than aberrant systemic PMN prevalence. [Eur J Trauma Emerg Surg. Jun 10 \[Epub ahead of print\].](#)
 30. Teuben, M. *et al.* (2021) Instant intra-operative neutropenia despite the emergence of

banded (CD16^{dim}/CD62L^{bright}) neutrophils in peripheral blood - An observational study during extensive trauma-surgery in pigs. [Injury. 52 \(3\): 426-33.](#)

31. Van der Weken, H. *et al.* (2021) Antibody-Mediated Targeting of Antigens to Intestinal Aminopeptidase N Elicits Gut IgA Responses in Pigs. [Front Immunol. 12: 753371.](#)

32. Boettcher, A.N. *et al.* (2020) CD3 ϵ^+ Cells in Pigs With Severe Combined Immunodeficiency Due to Defects in ARTEMIS [Frontiers in Immunology. 11 \[Epub ahead of print\].](#)

33. Zhao, H. *et al.* (2022) Development of RAG2^{-/-} IL2R γ ^{-Y} immune deficient FAH-knockout miniature pig. [Front Immunol. 13: 950194.](#)

Further Reading

1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. [Vet Res. 39: 54.](#)

2. Gerner W *et al.* (2015) Phenotypic and functional differentiation of porcine $\alpha\beta$ T cells: current knowledge and available tools. [Mol Immunol. 66 \(1\): 3-13.](#)

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information

Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1971A647>
10041

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA928A647\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M384340:210513'

Printed on 17 May 2024
