

# Datasheet: MCA1975 BATCH NUMBER 148606

<b>Description:</b> RAT ANTI MOUSE ART2.2	
Specificity:	ART2.2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	Nika102
Isotype:	lgG2a
Quantity:	0.25 mg

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation	•			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	From tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	
Carrier Free	Yes	
Approx. Protein	IgG concentration 1.0mg/ml	

# Concentrations

Immunogen	pME.CD8LF-ART2.2
External Database Links	UniProt:  O35975 Related reagents  Entrez Gene:  11872 Art2b Related reagents
Synonyms	Rt6.2, Rt6-2
RRID	AB_2258718
Fusion Partners	Spleen cells from immunized wistar rats were fused with cells of the Sp2/0 mouse myeloma cell line.
Specificity	Rat anti Mouse ART2.2 antibody, clone Nika102 recognizes the gene product of the mouse ADP-ribosyltransferase (ART) 2.2 gene, an ortholog of rat RT6. ART2.2 expressed exclusively by mature T-cells. Levels of ART2.2 expression vary between inbred strains of mice and is absent in NZW mice, in which the ART2.2 gene is deleted (Koch-Nolte et al. 1999).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	1. Koch-Nolte, F. <i>et al.</i> (1999) A new monoclonal antibody detects a developmentally regulated mouse ecto-ADP-ribosyltransferase on T cells: subset distribution, inbred strain variation, and modulation upon T cell activation. <u>J Immunol. 163 (11): 6014-22.</u> 2. Adriouch, S. <i>et al.</i> (2001) Rapid induction of naive T cell apoptosis by ecto-nicotinamide adenine dinucleotide: requirement for mono(ADP-ribosyl)transferase 2 and a downstream effector. <u>J Immunol. 167:196-203</u> 3. Kahl, S. <i>et al.</i> (2000) Metalloprotease-mediated shedding of enzymatically active mouse ecto-ADP-ribosyltransferase ART2.2 upon T cell activation. <u>J Immunol. 165:4463-9.</u> 4. Ablamunits, V. <i>et al.</i> (2001) Changing patterns of cell surface mono (ADP-ribosyl) transferase antigen ART2.2 on resting versus cytopathically-activated T cells in NOD/Lt mice. <u>Diabetologia. 44 (7): 848-58.</u> 5. Adriouch, S. <i>et al.</i> (2007) NAD+ released during inflammation participates in T cell homeostasis by inducing ART2-mediated death of naive T cells <i>in vivo</i> . <u>J Immunol. 179 (1): 186-94.</u> 6. Menzel, S. <i>et al.</i> (2015) Nucleotide-Induced Membrane-Proximal Proteolysis Controls the Substrate Specificity of T Cell Ecto-ADP-Ribosyltransferase ARTC2.2. <u>J Immunol. 195 (5): 2057-66.</u> 7. Heiss K <i>et al.</i> (2008) High sensitivity of intestinal CD8+ T cells to nucleotides indicates P2X7 as a regulator for intestinal T cell responses. <u>J Immunol. 181 (6): 3861-9.</u>
Storage	Store at +4°C or at -20°C if preferred.

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1975">https://www.bio-rad-antibodies.com/SDS/MCA1975</a> 10040
Regulatory	For research purposes only

# Related Products

### **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

Rabbit Anti Rat IgG (STAR21...)

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

#### **Recommended Negative Controls**

RAT IgG2a NEGATIVE CONTROL (MCA1212)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366039:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint