

## Datasheet: MCA1985

**BATCH NUMBER 159336**

<b>Description:</b>	MOUSE ANTI HUMAN CD175
<b>Specificity:</b>	CD175
<b>Other names:</b>	TN
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	BRIC111
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.2 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	
Haemagglutination	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Buffer Solution</b>	TRIS buffered glycine
<b>Preservative Stabilisers</b>	0.09% Sodium Azide
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

<b>Immunogen</b>	Human Tn red blood cells.
<b>RRID</b>	AB_323276
<b>Fusion Partners</b>	Spleen cells from immunised mice were fused with cells of a myeloma cell line
<b>Specificity</b>	<b>Mouse anti Human CD175 antibody, clone BRIC111</b> recognizes Tn antigen on glycophorin A and glycophorin B in human erythrocytes. Tn is a cryptantigen which was designated CD175 at the 7th Leucocyte Typing Workshop. Tn antigen is not expressed on normal haemopoietic cells but exposure of the Tn is associated with polyagglutination.
<b>Histology Positive Control Tissue</b>	Breast carcinoma
<b>References</b>	<ol style="list-style-type: none"> <li>1. Deutscher, S.L. <i>et al.</i> (2010) Carbohydrate antigens in nipple aspirate fluid predict the presence of atypia and cancer in women requiring diagnostic breast biopsy. <a href="#">BMC Cancer. 10: 519.</a></li> <li>2. King, M.J. <i>et al.</i> (1994) Two different glycosyltransferase defects that result in GalNAc alpha-O-peptide (Tn) expression. <a href="#">Glycobiology. 4 (3): 267-79.</a></li> <li>3. Wua, A.M. <i>et al.</i> (2005) Further characterization of the binding properties of two monoclonal antibodies recognizing human Tn red blood cells. <a href="#">J Biomed Sci. 12 (1): 153-66.</a></li> </ol>
<b>Further Reading</b>	1. Cao, Y. (2008) Expression of CD175 (Tn), CD175s (sialosyl-Tn) and CD176 (Thomsen-Friedenreich antigen) on malignant human hematopoietic cells. <a href="#">Int J Cancer. 123: 89-99.</a>
<b>Storage</b>	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10072 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1985">https://www.bio-rad-antibodies.com/SDS/MCA1985</a> 10072
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>

Goat Anti Mouse IgG (STAR76...) [RPE](#)  
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),  
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),  
[FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)  
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M383315:210513'

Printed on 25 Mar 2023

---

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)