

Datasheet: MCA1985 BATCH NUMBER 161312

| Description: | MOUSE ANTI HUMAN CD175 |
|---------------|------------------------|
| Specificity: | CD175 |
| Other names: | TN |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | BRIC111 |
| Isotype: | lgG1 |
| Quantity: | 0.2 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | | | • | |
| Immunohistology - Frozen | - | | | |
| Immunohistology - Paraffin | | | • | |
| ELISA | • | | | |
| Immunoprecipitation | | | | |
| Western Blotting | | | • | |
| Haemagglutination | - | | | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species | Human |
|-----------------------------------|--|
| Product Form | Purified IgG - liquid |
| Buffer Solution | TRIS buffered glycine |
| Preservative Stabilisers | <0.1% Sodium Azide (NaN ₃) |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
| | |

| Immunogen | Human Tn red blood cells. |
|--------------------------------------|---|
| RRID | AB_323276 |
| Fusion Partners | Spleen cells from immunised mice were fused with cells of a myeloma cell line |
| Specificity | Mouse anti Human CD175 antibody, clone BRIC111 recognizes Tn antigen on glycophorin A and glycophorin B in human erythrocytes. Tn is a cryptantigen which was designated CD175 at the 7th Leucocyte Typing Workshop. Tn antigen is not expressed on normal haemopoietic cells but exposure of the Tn is associated with polyagglutination. |
| Histology Positive Control Tissue | Breast carcinoma |
| References | Deutscher, S.L. <i>et al.</i> (2010) Carbohydrate antigens in nipple aspirate fluid predict the presence of atypia and cancer in women requiring diagnostic breast biopsy. <u>BMC Cancer.</u> 10: 519. King, M.J. <i>et al.</i> (1994) Two different glycosyltransferase defects that result in GalNAc alpha-O-peptide (Tn) expression. <u>Glycobiology. 4 (3): 267-79.</u> Wua, A.M. <i>et al.</i> (2005) Further characterization of the binding properties of two monoclonal antibodies recognizing human Tn red blood cells. <u>J Biomed Sci. 12 (1): 153-66.</u> |
| Further Reading | 1. Cao, Y. (2008) Expression of CD175 (Tn), CD175s (sialosyl-Tn) and CD176 (Thomsen-Friedenreich antigen) on malignant human hematopoietic cells. Int J Cancer. 123: 89-99. |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10072 available at: https://www.bio-rad-antibodies.com/SDS/MCA1985 10072 |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M389365:210806'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint