

## Datasheet: MCA2034G

<b>Description:</b>	MOUSE ANTI RAT CD49f
<b>Specificity:</b>	CD49f
<b>Other names:</b>	INTEGRIN ALPHA 6 CHAIN, VLA-6
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	Mab-5A
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.25 mg

## Product Details

**RRID** AB\_10975483

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

**Target Species** Rat

**Product Form** Purified IgG - liquid

**Preparation** Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

**Buffer Solution** Phosphate buffered saline

**Preservative Stabilisers** 0.09% Sodium Azide

**Carrier Free** Yes

**Approx. Protein Concentrations** IgG concentration 1.0mg/ml

<b>Immunogen</b>	Rat oesophageal carcinoma cell line B2T.
<b>Fusion Partners</b>	Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Rat CD49f antibody, clone Mab-5A</b> recognizes rat CD49f, also known as Integrin alpha-6, VLA-6 or CD49 antigen-like family member F. CD49f is a 1130 amino acid ~130 kDa single pass type 1 transmembrane glycoprotein which functions as a receptor for laminin when in association with either beta-1 or beta-4 integrins on platelets and epithelial cells respectively.</p> <p>Mouse anti Rat CD49f antibody, clone Mab-5A does not react with rat fibroblasts.</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
<b>References</b>	<ol style="list-style-type: none"> <li>1. Jamasbi, R.J. <i>et al.</i> (1992) A monoclonal antibody produced against a rat esophageal carcinoma cell line reacts with an integrin-like molecule expressed by rat epithelial cells. <a href="#">Hybridoma. 11 (5): 581-94.</a></li> <li>2. Stevenson, K.S. <i>et al.</i> (2009) Isolation, characterization, and differentiation of thy1.1-sorted pancreatic adult progenitor cell populations. <a href="#">Stem Cells Dev. 18: 1389-98.</a></li> <li>3. D'Souza, R. <i>et al.</i> (2009) Disruption of tubulobulbar complex by high intratesticular estrogens leading to failed spermiation. <a href="#">Endocrinology. 150: 1861-9.</a></li> <li>4. Krause, P. <i>et al.</i> (2010) Liver sinusoidal endothelial and biliary cell repopulation following irradiation and partial hepatectomy. <a href="#">World J Gastroenterol. 16: 3928-35.</a></li> <li>5. Huang, E. <i>et al.</i> (2009) Characterization of rat hair follicle stem cells selected by vario magnetic activated cell sorting system. <a href="#">Acta Histochem Cytochem. 42: 129-36.</a></li> <li>6. Sanchez-Esteban, J. <i>et al.</i> (2006) Integrins beta1, alpha6, and alpha3 contribute to mechanical strain-induced differentiation of fetal lung type II epithelial cells via distinct mechanisms. <a href="#">Am J Physiol Lung Cell Mol Physiol. 290: L343-50.</a></li> <li>7. Paku, S. <i>et al.</i> (2004) 2-acetylaminofluorene dose-dependent differentiation of rat oval cells into hepatocytes: confocal and electron microscopic studies. <a href="#">Hepatology. 39: 1353-61.</a></li> <li>8. Chen, J. <i>et al.</i> (2009) Expression of laminin isoforms, receptors, and binding proteins unique to nucleus pulposus cells of immature intervertebral disc. <a href="#">Connect Tissue Res. 50: 294-306.</a></li> <li>9. Koenig, S. <i>et al.</i> (2006) Zonal hierarchy of differentiation markers and nestin expression during oval cell mediated rat liver regeneration. <a href="#">Histochem Cell Biol. 126: 723-34.</a></li> </ol>
<b>Storage</b>	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	18 months from date of despatch.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>
<b>Regulatory</b>	For research purposes only

## Related Products

## Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR8...)	<a href="#">DyLight®800</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>

## Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA1209\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

'M343903:190111'

Printed on 20 May 2019