

## Datasheet: MCA2035S

<b>Description:</b>	MOUSE ANTI DOG CD45
<b>Specificity:</b>	CD45
<b>Other names:</b>	LCA
<b>Format:</b>	S/N
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	CA12.10C12
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	2 ml

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat
Immunohistology - Frozen	▪			
Immunohistology - Paraffin (1)	▪			
ELISA			▪	
Immunoprecipitation			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1) **This product requires heat mediated antigen retrieval (citrate buffer, pH 6.0).**

<b>Target Species</b>	Dog
<b>Product Form</b>	Tissue culture supernatant - liquid
<b>Preservative Stabilisers</b>	0.09% sodium azide (NaN <sub>3</sub> )
<b>RRID</b>	AB_323369

### Specificity

**Mouse anti Dog CD45 antibody, clone CD12.10C12** recognises the canine homologue of CD45, clustered at the first International Canine Leukocyte Workshop ([Cobbold et al.](#))

[1994](#)). Mouse anti Dog CD45 antibody, clone CD12.10C12 recognizes a glycoprotein of approximately 200 kDa expressed by cells of haemopoietic origin.

---

**Flow Cytometry** Use 10µl of the suggested working dilution to label 10<sup>6</sup> cells in 100µl

---

- References**
1. Caniatti, M. *et al.* (1996) Canine lymphoma: immunocytochemical analysis of fine-needle aspiration biopsy. [Vet Pathol. 33 \(2\): 204-12.](#)
  2. Cobbold, S. & Metcalfe, S. (1994) Monoclonal antibodies that define canine homologues of human CD antigens: summary of the First International Canine Leukocyte Antigen Workshop (CLAW). [Tissue Antigens. 43 \(3\): 137-54.](#)
  3. Ramos-Vara, J.A. & Miller, M.A. (2007) Immunohistochemical detection of protein gene product 9.5 (PGP 9.5) in canine epitheliotropic T-cell lymphoma (*mycosis fungoides*). [Vet Pathol. 44 \(1\): 74-9.](#)
  4. Caswell JL, *et al.* (2005) Graft-versus-host disease in severe combined immunodeficiency/beige mice administered canine leukocytes. [Can J Vet Res. 69\(4\): 246-52.](#)
  5. Lane, L.V. *et al.* (2012) Canine intravascular lymphoma with overt leukemia. [Vet Clin Pathol. Mar;41\(1\):84-91.](#)
  6. Trindade, A.B. *et al.* (2017) Mesenchymal-like stem cells in canine ovary show high differentiation potential. [Cell Prolif. 50\(6\):e12391.](#)
  7. Tsumagari, S. *et al.* (2007) Characterization of CD34+ cells from canine umbilical cord blood, bone marrow leukocytes, and peripheral blood by flow cytometric analysis. [J Vet Med Sci. 69 \(11\): 1207-9.](#)
  8. Lombardi, P. *et al.* (2019) Clinical and Immunological Response in Dogs Naturally Infected by *L. infantum* Treated with a Nutritional Supplement. [Animals \(Basel\). 9 \(8\) Jul 30 \[Epub ahead of print\].](#)
- 

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10336 available at: 10336: <https://www.bio-rad-antibodies.com/uploads/MSDS/10336.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)  
Goat Anti Mouse IgG (STAR76...) [RPE](#)  
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),  
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),  
[FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)  
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

## **Recommended Negative Controls**

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M412544:221112'

**Printed on 12 Nov 2022**

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)