

Datasheet: MCA2037S

Description:	MOUSE ANTI DOG MHC CLASS II MONOMORPHIC
Specificity:	MHC CLASS II MONOMORPHIC
Format:	S/N
Product Type:	Monoclonal Antibody
Clone:	CA2.1C12
Isotype:	IgG1
Quantity:	2 ml

Product Details

RRID AB_323367

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species Dog

Product Form Tissue Culture Supernatant - liquid

Preservative Stabilisers 0.1% Sodium Azide

Specificity

Mouse anti Dog MHC Class II Monomorphic antibody, clone CA2.1C12 recognizes a monomorphic epitope on canine MHC Class II which was classified at the First Canine Leucocyte Antigen Workshop (CLAW) [Cobbold *et al.* 1992]. In dogs, MHC Class II is expressed by all peripheral blood mononuclear cells. The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In dogs, this is referred to as the dog leukocyte antigen (DLA) region.

Flow Cytometry Use 10ul of the suggested working dilution to label 10^6 cells in 100ul.

References

1. Cobbold, S. & Metcalfe, S. (1994) Monoclonal antibodies that define canine homologues of human CD antigens: summary of the First International Canine Leucocyte Antigen Workshop

- (CLAW). [Tissue Antigens. 43 \(3\): 137-54.](#)
2. Wang, Y.S. *et al.* (2007) Characterization of canine monocyte-derived dendritic cells with phenotypic and functional differentiation. PubMed PMID: [Can J Vet Res. 71: 165-74.](#)
 3. Veenhof, E.Z. *et al.* (2011) Characterisation of T cell phenotypes, cytokines and transcription factors in the skin of dogs with cutaneous adverse food reactions. [Vet J. 187 \(3\): 320-4.](#)
 4. Caniatti, M. *et al.* (1996) Canine lymphoma: immunocytochemical analysis of fine-needle aspiration biopsy. [Vet Pathol. 33: 204-12.](#)
 5. Huang, Y.C. *et al.* (2008) CD5-low expression lymphocytes in canine peripheral blood show characteristics of natural killer cells. [J Leukoc Biol. 84: 1501-10.](#)
 6. Isotani, M. *et al.* (2006) Efficient generation of canine bone marrow-derived dendritic cells. [J Vet Med Sci. 68: 809-14.](#)
 7. Liu, C.C. *et al.* (2008) Transient downregulation of monocyte-derived dendritic-cell differentiation, function, and survival during tumoral progression and regression in an in vivo canine model of transmissible venereal tumor. [Cancer Immunol Immunother. 57: 479-91.](#)
 8. McDonough, S.P. and Moore, P.F. (2000) Clinical, hematologic, and immunophenotypic characterization of canine large granular lymphocytosis. [Vet Pathol. 37: 637-46.](#)
 9. Pumarola, M. *et al.* (2004) Canine inflammatory myopathy: analysis of cellular infiltrates. [Muscle Nerve. 29: 782-9.](#)
 10. Ricklin, Gutzwiller. M.E. *et al.* (2010) Comparative analysis of canine monocyte- and bone-marrow-derived dendritic cells. [Vet Res. 41: 40.](#)
 11. Yuasa, K. *et al.* (2007) Injection of a recombinant AAV serotype 2 into canine skeletal muscles evokes strong immune responses against transgene products. [Gene Ther. 14: 1249-60.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

18 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10336 available at: 10336: <https://www.bio-rad-antibodies.com/uploads/MSDS/10336.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#),
[DyLight@649](#), [DyLight@680](#), [DyLight@800](#),
[FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M334506:181203'

Printed on 15 Mar 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)