

Datasheet: MCA2052 BATCH NUMBER 158566

Description:	MOUSE ANTI CAT CD8 ALPHA		
Specificity:	CD8 ALPHA		
Format:	S/N		
Product Type:	Monoclonal Antibody		
Clone:	FE1.10E9		
Isotype:	lgG1		
Quantity:	2 ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation			•	
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Cat
Product Form	Tissue Culture Supernatant - liquid
Preservative Stabilisers	0.09% Sodium Azide
E (

External Database Links

UniProt:

P41688 Related reagents

Entrez Gene:

493799 CD8A Related reagents

RRID	AB_2075655
Specificity	Mouse anti Cat CD8 alpha antibody, clone FE1.10E9 recognizes the feline homolog of CD8 alpha and detects a broad band between 28-32 kDa by immunoprecipitation (<u>Woo et al. 1997</u>).
	CD8 exists as an alpha/beta heterodimer and is expressed on a subpopulation of T lymphocytes.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	 Woo, J.C. & Moore, P.F. (1997) A feline homologue of CD1 is defined using a feline-specific monoclonal antibody. <u>Tissue Antigens. 49 (3 Pt 1): 244-51.</u> Woo, J.C. <i>et al.</i> (1997) Immunopathologic changes in the thymus during the acute stage of experimentally induced feline immunodeficiency virus infection in juvenile cats. <u>J Virol. 71 (11): 8632-41.</u> Stein, V.M. <i>et al.</i> (2012) Miglustat improves purkinje cell survival and alters microglial phenotype in feline Niemann-Pick disease type C. <u>J Neuropathol Exp Neurol. 71 (5): 434-48.</u> Martini, V. <i>et al.</i> (2018) Flow cytometry for feline lymphoma: a retrospective study regarding pre-analytical factors possibly affecting the quality of samples. <u>J Feline Med Surg. 20 (6): 494-501.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10055 available at: https://www.bio-rad-antibodies.com/SDS/MCA2052 10055
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE
Goat Anti Mouse IgG (H/L) (STAR117...) FITC
Rabbit Anti Mouse IgG (STAR9...) FITC

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)
MOUSE IgG1 NEGATIVE CONTROL (MCA1209)

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 America

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.comd a Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383382:210513'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint