# Datasheet: MCA2052 BATCH NUMBER 160805

Description:	MOUSE ANTI CAT CD8 ALPHA
Specificity:	CD8 ALPHA
Format:	S/N
Product Type:	Monoclonal Antibody
Clone:	FE1.10E9
Isotype:	lgG1
Quantity:	2 ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
	information. For general	information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry				Neat			
	Immunohistology - Frozen			•				
	Immunohistology - Paraffin			•				
	ELISA			•				
	Immunoprecipitation			-				
	Western Blotting			-				
	Where this antibody has not been tested for use in a particular technique this does not							
	necessarily exclude its use in such procedures. Suggested working dilutions are given as							
	a guide only. It is recomn system using appropriate				for use in their own			
Target Species	Cat							
Product Form	Tissue Culture Supernatant - liquid							
Preservative Stabilisers	0.09% Sodium Azide							
External Database Links	UniProt: P41688 Related re	eagents						
	Entrez Gene: 493799 CD8A Rela	ated reag	ta					

RRID	AB_2075655					
Specificity	<b>Mouse anti Cat CD8 alpha antibody, clone FE1.10E9</b> recognizes the feline homolog of CD8 alpha and detects a broad band between 28-32 kDa by immunoprecipitation ( <u>Woo <i>et</i></u> <u><i>al.</i> 1997</u> ).					
	CD8 exists as an alpha/beta heterodimer and is expressed on a subpopulation of T lymphocytes.					
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.					
References	1. Woo, J.C. & Moore, P.F. (1997) A feline homologue of CD1 is defined using a feline- specific monoclonal antibody. <u>Tissue Antigens. 49 (3 Pt 1): 244-51.</u>					
	2. Woo, J.C. <i>et al.</i> (1997) Immunopathologic changes in the thymus during the acute stage of experimentally induced feline immunodeficiency virus infection in juvenile cats. J <u>Virol. 71 (11): 8632-41.</u>					
	<ol> <li>Stein, V.M. <i>et al.</i> (2012) Miglustat improves purkinje cell survival and alters microglial phenotype in feline Niemann-Pick disease type C. <u>J Neuropathol Exp Neurol. 71 (5):</u> <u>434-48.</u></li> </ol>					
	4. Martini, V. <i>et al.</i> (2018) Flow cytometry for feline lymphoma: a retrospective study regarding pre-analytical factors possibly affecting the quality of samples. <u>J Feline Med</u> Surg. 20 (6): 494-501.					
Storage	Store at +4°C or at -20°C if preferred.					
	This product should be stored undiluted.					
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Health And Safety Information	Material Safety Datasheet documentation #10055 available at: https://www.bio-rad-antibodies.com/SDS/MCA2052 10055					
Regulatory	For research purposes only					

## **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)RPEGoat Anti Mouse IgG (H/L) (STAR117...)FITCRabbit Anti Mouse IgG (STAR9...)FITCRecommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rac	l.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366110:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint