

Datasheet: MCA2094B

## **BATCH NUMBER 0712**

Description:	MOUSE ANTI PIG INTERLEUKIN-18:Biotin		
Specificity:	IL-18		
Other names:	IGIF		
Format:	Biotin		
Product Type:	Monoclonal Antibody		
Clone:	5-C-5		
Isotype:	lgG1		
Quantity:	0.25 mg		

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	•			
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive control.

Target Species	Pig
Product Form	Purified IgG conjugated to Biotin - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein	lgG concentration 1.0 mg/ml

## Concentrations

External Database Links	UniProt: O19073 Related reagents
	Entrez Gene: 397057 IL18 Related reagents
Synonyms	IGIF
RRID	AB_2123662
Specificity	Mouse anti Pig Interleukin-18 antibody, clone 5-C-5 recognizes natural and recombinant porcine IL-18. Mouse anti Pig Interleukin-18 antibody, clone 5-C-5 does not recognize porcine IL-1beta, IL-8, IL-12 or IFNgamma, nor does it cross react with human or murine IL-18.
ELISA	This reagent may be used as a detection reagent in a sandwich ELISA assays in combination with <a href="MCA2093">MCA2093</a> as capture reagent.
References	<ol> <li>Muneta, Y. <i>et al.</i> (2000) Detection of porcine interleukin-18 by sandwich ELISA and immunohistochemical staining using its monoclonal antibodies. J Interferon Cytokine Res. 20 (3): 331-6.</li> <li>Lee, B.M. <i>et al.</i> (2011) Enhanced protection against infection with transmissible gastroenteritis virus in piglets by oral co-administration of live attenuated <i>Salmonella enterica</i> serovar Typhimurium expressing swine interferon-α and interleukin-18. Comp Immunol Microbiol Infect Dis. 34 (4): 369-80.</li> </ol>
Storage	Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2094B">https://www.bio-rad-antibodies.com/SDS/MCA2094B</a> 10040
Regulatory	For research purposes only

North & South Tel: +1 800 265 7376

America

Fax: +1 919 878 3751

Email: antibody\_sales\_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody\_sales\_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

## Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint