## Datasheet: MCA2094B BATCH NUMBER 160973

Description:	MOUSE ANTI PIG INTERLEUKIN-18:Biotin		
Specificity:	IL-18		
Other names:	IGIF		
Format:	Biotin		
Product Type:	Monoclonal Antibody		
Clone:	5-C-5		
Isotype:	lgG1		
Quantity:	0.25 mg		

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin			•			
	ELISA						
	Western Blotting			•			
	Where this antibody has not been tested for use in a particular technique this does not						
	necessarily exclude its use in such procedures. It is recommended that the user titrates						
	the antibody for use in their own system using appropriate negative/positive control.						
Target Species	Pig						
Product Form	Purified IgG conjugated to Biotin - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide						
Approx. Protein	IgG concentration 1.0 mg	/ml					

## Concentrations

External Database Links	UniProt: 019073 Related reagents				
	Entrez Gene: <u>397057</u> IL18 <u>Related reagents</u>				
Synonyms	IGIF				
RRID	AB_2123662				
Specificity	<b>Mouse anti Pig Interleukin-18 antibody, clone 5-C-5</b> recognizes natural and recombinant porcine IL-18. Mouse anti Pig Interleukin-18 antibody, clone 5-C-5 does not recognize porcine IL-1beta, IL-8, IL-12 or IFNgamma, nor does it cross react with human or murine IL-18.				
ELISA	This reagent may be used as a detection reagent in a sandwich ELISA assays in combination with MCA2093 as capture reagent.				
References	<ol> <li>Muneta, Y. <i>et al.</i> (2000) Detection of porcine interleukin-18 by sandwich ELISA and immunohistochemical staining using its monoclonal antibodies. <u>J Interferon Cytokine Re</u> <u>20 (3): 331-6.</u></li> <li>Lee, B.M. <i>et al.</i> (2011) Enhanced protection against infection with transmissible gastroenteritis virus in piglets by oral co-administration of live attenuated <i>Salmonella</i> <i>enterica</i> serovar Typhimurium expressing swine interferon-α and interleukin-18. <u>Comp</u> <u>Immunol Microbiol Infect Dis. 34 (4): 369-80.</u></li> </ol>				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2094B 10040				
Regulatory	For research purposes only				
th & South Tel: +1 800 26	5 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21				

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383504:210513'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint