

Datasheet: MCA2094B BATCH NUMBER 164561

Description:	MOUSE ANTI PIG INTERLEUKIN-18:Biotin
Specificity:	IL-18
Other names:	IGIF
Format:	Biotin
Product Type:	Monoclonal Antibody
Clone:	5-C-5
Isotype:	IgG1
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	•			
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig	
- I got opcored	' 'g	
Product Form	Purified IgG conjugated to biotin - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant	A from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% sodium azide (NaN ₃)	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
External Database Links	UniProt: O19073 Related reagents
	Entrez Gene: 397057 IL18 Related reagents
Synonyms	IGIF
RRID	AB_2123662
Specificity	Mouse anti Pig Interleukin-18 antibody, clone 5-C-5 recognizes natural and recombinant porcine IL-18. Mouse anti Pig Interleukin-18 antibody, clone 5-C-5 does not recognize porcine IL-1beta, IL-8, IL-12 or IFNgamma, nor does it cross react with human or murine IL-18.
ELISA	Biotin conjugated Mouse anti Pig interleukin-18 antibody, clone 5-C-5 may be used as a detection reagent in a sandwich ELISA assays in combination with MCA2093 as capture reagent.
References	 Muneta, Y. et al. (2000) Detection of porcine interleukin-18 by sandwich ELISA and immunohistochemical staining using its monoclonal antibodies. J Interferon Cytokine Res. 20 (3): 331-6. Lee, B.M. et al. (2011) Enhanced protection against infection with transmissible gastroenteritis virus in piglets by oral co-administration of live attenuated Salmonella
	enterica serovar Typhimurium expressing swine interferon-α and interleukin-18. Comp Immunol Microbiol Infect Dis. 34 (4): 369-80.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2094B 10040

America

Regulatory

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

For research purposes only

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint