

## Datasheet: MCA2098G

**BATCH NUMBER 152207**

<b>Description:</b>	MOUSE ANTI HUMAN IgG4
<b>Specificity:</b>	IgG4
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	HP6025
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.2 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin	▪			
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting	▪			
Immunoblotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

#### Target Species

Human

#### Species Cross Reactivity

Reacts with: Chimpanzee

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

#### Product Form

Purified IgG - liquid

#### Buffer Solution

Borate buffered saline

<b>Preservative Stabilisers</b>	0.09% Sodium Azide
<b>Approx. Protein Concentrations</b>	IgG concentration 0.5mg/ml
<b>Immunogen</b>	Purified IgG4
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P01861</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">3503</a>    IGHG4    <a href="#">Related reagents</a></p>
<b>RRID</b>	AB_323685
<b>Fusion Partners</b>	Spleen cells from BALB/c mice were fused with SP2/0 - Ag14 mouse myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Human IgG4 antibody, clone HP6025</b> recognizes the heavy chain of human IgG4, at an epitope in the Fc region. No cross-reactivity is observed with IgG1, IgG2, IgG3, IgM, IgA (<a href="#">Jefferis et al. 1985</a>).</p> <p>Elevated levels of IgG4 and of IgG4 presenting plasma cells are frequently seen in patients with autoimmune pancreatitis (IAP) and inflammatory bowel disease (<a href="#">Navaneethan et al. 2011</a>) and it is suggested that IAP may develop as a paraneoplastic syndrome in some cancer patients (<a href="#">Shiokawa et al. 2013</a>)</p>
<b>References</b>	<ol style="list-style-type: none"> <li>1. Jefferis, R. <i>et al.</i> (1985) Evaluation of monoclonal antibodies having specificity for human IgG sub-classes: results of an IUIS/WHO collaborative study. <a href="#">Immunol Lett. 10 (3-4): 223-52.</a></li> <li>2. Agaimy, A. <i>et al.</i> (2010) Calcifying fibrous tumor of the stomach: clinicopathologic and molecular study of seven cases with literature review and reappraisal of histogenesis. <a href="#">Am J Surg Pathol. 34: 271-8.</a></li> <li>3. Strehl, J.D. <i>et al.</i> (2011) Numerous IgG4-positive plasma cells are ubiquitous in diverse localised non-specific chronic inflammatory conditions and need to be distinguished from IgG4-related systemic disorders. <a href="#">J Clin Pathol. 64 (3): 237-43.</a></li> <li>4. Black, C.M. <i>et al.</i> (1991) Human markers for IgG2 and IgG4 appear to be on the same molecule in the chimpanzee. <a href="#">Immunology.72: 94-8.</a></li> <li>5. Fernandez-Becerra, C. (2010) Naturally-acquired humoral immune responses against the N- and C-termini of the <i>Plasmodium vivax</i> MSP1 protein in endemic regions of Brazil and Papua New Guinea using a multiplex assay. <a href="#">Malar J. 9: 29.</a></li> <li>6. Lee, H.W. <i>et al.</i> (2008) High levels of antibodies to <i>Plasmodium falciparum</i> liver stage antigen-1 in naturally infected individuals in Myanmar. <a href="#">Korean J Parasitol. 46: 195-8.</a></li> <li>7. Shiokawa, M. <i>et al.</i> (2013) Risk of cancer in patients with autoimmune pancreatitis. <a href="#">Am J Gastroenterol. 108 (4): 610-7.</a></li> <li>8. Whelan, S.F. <i>et al.</i> (2013) Distinct characteristics of antibody responses against factor VIII in healthy individuals and in different cohorts of hemophilia A patients. <a href="#">Blood. 121: 1039-48.</a></li> </ol>

9. Fujimoto, M. *et al.* (2013) Stromal plasma cells expressing immunoglobulin G4 subclass in non-small cell lung cancer. [Hum Pathol. 44 \(8\): 1569-76.](#)
10. Miyagawa-Hayashino, A. *et al.* (2009) High ratio of IgG4-positive plasma cell infiltration in cutaneous plasmacytosis--is this a cutaneous manifestation of IgG4-related disease? [Hum Pathol. 40: 1269-77.](#)
11. Yamashita, K. *et al.* (2008) Lung involvement in IgG4-related lymphoplasmacytic vasculitis and interstitial fibrosis: report of 3 cases and review of the literature. [Am J Surg Pathol. 32: 1620-6.](#)
12. Yamashita, K. *et al.* (2008) Degree of IgG4+ plasma cell infiltration in retroperitoneal fibrosis with or without multifocal fibrosclerosis [Histopathology. 52: 404-9.](#)
13. Navaneethan, U. *et al.* (2011) Tissue infiltration of IgG4+ plasma cells in symptomatic patients with ileal pouch-anal anastomosis [J Crohns Colitis. 5: 570-6.](#)
14. Shiokawa, M. *et al.* (2013) Risk of cancer in patients with autoimmune pancreatitis. [Am J Gastroenterol. 108 \(4\): 610-7.](#)
15. Engelmann, R. *et al.* (2015) Bone resorption correlates with the frequency of CD5<sup>+</sup> B cells in the blood of patients with rheumatoid arthritis. [Rheumatology \(Oxford\). 54 \(3\): 545-53.](#)
16. Ráty, S. *et al.* (2015) Tumor-like Chronic Pancreatitis Is Often Autoimmune Pancreatitis. [Anticancer Res. 35 \(11\): 6163-6.](#)
17. Agaimy, A. *et al.* (2015) SMARCA4-deficient undifferentiated carcinoma of the ovary (small cell carcinoma, hypercalcemic type): clinicopathologic and immunohistochemical study of 3 cases. [Ann Diagn Pathol. 19 \(5\): 283-7.](#)
18. Riedemann, N.C. *et al.* (2017) Controlling the anaphylatoxin C5a in diseases requires a specifically targeted inhibition. [Clin Immunol. 180: 25-32.](#)
19. Pan, Q. *et al.* (2016) Association between IgG4 Autoantibody and Complement Abnormalities in Systemic Lupus Erythematosus. [Mediators Inflamm. 2016: 2196986.](#)
20. Engelmann, R. *et al.* (2018) Decreased IgG4 ACPA levels in responders and increased CD1c<sup>+</sup> classical dendritic cells in non-responders of patients with rheumatoid arthritis under therapy. [Clin Rheumatol. 37 \(7\): 1783-90.](#)

---

**Storage**

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee**

12 months from date of despatch

---

**Health And Safety Information**

Material Safety Datasheet documentation #10077 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2098G>  
10077

---

**Regulatory**

For research purposes only

---

## Related Products

## Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®550</a> , <a href="#">DyLight®650</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M366180:200529'

Printed on 18 Jan 2024

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)