

Datasheet: MCA2114

Description:	MOUSE ANTI HUMAN APOLIPOPROTEIN H
Specificity:	APOLIPOPROTEIN H
Format:	S/N
Product Type:	Monoclonal Antibody
Clone:	ID2
Isotype:	IgG1
Quantity:	2 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive control.

Target Species	Human
Product Form	Tissue Culture Supernatant - liquid
Preservative Stabilisers	0.09% Sodium Azide
External Database Links	<p>UniProt: P02749 Related reagents</p> <p>Entrez Gene: 350 APOH Related reagents</p>
Synonyms	B2G1

Specificity

Mouse anti Human apolipoprotein H antibody, clone 1D2 recognizes the human Apolipoprotein H molecule, also known as beta 2 glycoprotein 1, APC inhibitor, activated protein C-binding protein or antidiolipin cofactor. Apolipoprotein H is expressed by placental trophoblast cells at high levels. Although the normal physiological role is not known, the protein appears to act as a co-factor for the binding of autoantibodies to phospholipids to trophoblasts, a process involved in

the pathogenesis of recurrent miscarriage and thrombotic tendencies due to [antiphospholipid syndrome](#).

Histology Positive Control Tissue Placenta

References

1. Mak, I.Y. *et al.* (2002) Regulated expression of signal transducer and activator of transcription, Stat5, and its enhancement of PRL expression in human endometrial stromal cells *in vitro*. [J Clin Endocrinol Metab. 87 \(6\): 2581-8.](#)
2. Vlachoyiannopoulos, P.G. *et al.* (2004) Anti-CD40 antibodies in antiphospholipid syndrome and systemic lupus erythematosus. [Thromb Haemost. 92: 1303-11.](#)
3. Goonetilleke, U.R. *et al.* (2012) Death Is Associated with Complement C3 Depletion in Cerebrospinal Fluid of Patients with Pneumococcal Meningitis [mBio 3: e00272-11](#)
4. Lopez, D. *et al.* (2004) Oxidized low-density lipoprotein/beta2-glycoprotein I complexes and autoantibodies to oxLig-1/beta2-glycoprotein I in patients with systemic lupus erythematosus and antiphospholipid syndrome. [Am J Clin Pathol. 121 \(3\): 426-36.](#)

Further Reading 1. Chamley, L.W. *et al.* (2001) Is interleukin-3 important in antiphospholipid antibody-mediated pregnancy failure? [Fertil Steril. 76 \(4\): 700-6.](#)

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life 18 months from date of despatch.

Health And Safety Information Material Safety Datasheet documentation #10055 available at: 10055: <https://www.bio-rad-antibodies.com/uploads/MSDS/10055.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)

Goat Anti Mouse IgG (STAR77...) [HRP](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Rabbit Anti Mouse IgG (STAR8...) [DyLight@800](#)

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Goat Anti Mouse IgG (STAR76...) [RPE](#)

Goat Anti Mouse IgG (STAR70...) [FITC](#)

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#), [DyLight@649](#), [DyLight@680](#), [DyLight@800](#), [FITC](#), [HRP](#)

Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Human Anti Mouse IgG1 (HCA036...) [HRP](#)

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M319095:180719'

Printed on 18 Sep 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)