

Datasheet: MCA2144ELGA

Description:	MOUSE ANTI HUMAN CD253:Low Endotoxin		
Specificity:	CD253		
Other names:	TRAIL		
Format:	Low Endotoxin		
Product Type:	Monoclonal Antibody		
Clone:	2E5		
Isotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen				
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation				
Western Blotting	•			
Functional Assays	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	None present
Endotoxin Level	< 0.01 EU/ug

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant human CD253 (TRAIL) aa 95-281.
External Database Links	UniProt: P50591 Related reagents Entrez Gene: 8743 TNFSF10 Related reagents
Synonyms	APO2L, TRAIL
RRID	AB_10892674
Specificity	Mouse anti Human CD253 antibody, clone 2E5 recognizes the 281 amino acid protein termed TNF related apoptosis-inducing ligand (TRAIL), also known as Apo2L. TRAIL is a cytotoxic protein closely related to Fas (CD95), which induces extensive apoptosis in a range of cell types. TRAIL induces apoptosis via the receptors DR4 and DR5. Most normal tissues are resistant to TRAIL induced apoptosis due to their expression of decoy receptors, DcR1 and DcR2, which antagonise TRAIL activity. TRAIL is expressed by cell lines, activated lymphocytes and on syncytiotrophoblast cells in first trimester pregnancy. This antibody neutralizes TRAIL activity.
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: 10162: https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR77...) HRP
Rabbit Anti Mouse IgG (STAR12...) RPE

Rabbit Anti Mouse IgG (STAR8...) <u>DyLight®800</u>

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®680,

DyLight®800, FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin (MCA928EL)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M372621:200708'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint