

Datasheet: MCA2170F

Description:	MOUSE ANTI CHICKEN Bu-1a:FITC
Specificity:	Bu-1a
Other names:	BURSAL ANTIGEN 1 A
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	L22
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/20 - 1/80

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Chicken					
Species Cross	Reacts with: Qua	ail				
Reactivity	Does not react with:Turkey, Guinea Fowl					
	reactivity is deriv	activity and working conditied from testing within our land incations from the originated on.	aboratories, peer-reviev	ved publications or		
Product Form	Purified IgG conj	ugated to Fluorescein Isoth	niocyanate Isomer 1 (FI	TC) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	FITC	490	525			
Preparation	Purified IgG prep	pared by affinity chromatog	aphy on Protein G fron	n tissue culture		

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% sodium azide (NaN ₃) 1% bovine serum albumin	
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml	
Immunogen	Chicken Bursa cells.	
External Database Links	UniProt: Q90746 Related reagents	
RRID	AB_2234729	
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the mouse SP2/0-Ag14 myeloma cell line.	
Specificity	Mouse anti Chicken Bu-1a, clone L22 recognises the 'a' allele of the polymorphic cell surface antigen Bu-1, also known as chB6. Bu-1a is a 70 kDa alloantigen expressed on B cells and a subset of macrophages. Bu-1 is expressed on B cell precursors at early stages of development (Houssaint et al. 1991). Weak cross-reactivity with Bu-1b may be seen at higher antibody levels. This may be removed by appropriate titration. Mouse anti chicken BU-1a, clone L22 cross reacts with quail Bu-1 but does not appear reactive with either turkey or guinea fowl tissues (Igyarto et al. 2008)	
Flow Cytometry	Use 10μl of the suggested working dilution to label 10 ⁶ cells in 100μl	
References	 Veromaa, T. et al. (1988) Monoclonal antibodies against chicken Bu-1a and Bu-1b alloantigens. Hybridoma. 7: 41-8. Houssaint, E. et al. (1989) Bu-1 antigen expression as a marker for B cell precursors in chicken embryos. Eur J Immunol. 19 (2): 239-43. Houssaint, E. et al. (1991) Early separation of B and T lymphocyte precursors in chick embryo. J Exp Med. 174: 397-406. Tregaskes, C.A. et al. (1996) Chicken B-cell marker chB6 (Bu-1) is a highly glycosylated protein of unique structure. Immunogenetics. 44: 212-7. Igyártó, B.Z. et al. (2008) Identification of the avian B-cell-specific Bu-1 alloantigen by a novel monoclonal antibody. Poult Sci. 87: 351-5. Chaussé, A.M. et al. (2011) Expression of toll-like receptor 4 and downstream effectors in selected cecal cell subpopulations of chicks resistant or susceptible to salmonella carrier state. Infect Immun. 79: 3445-54. Chaussé, A.M. et al. (2014) Susceptibility to Salmonella carrier-state: a possible Th2 response in susceptible chicks. Vet Immunol Immunopathol. 159: 16-28. Balic, A. et al. (2014) Visualisation of chicken macrophages using transgenic reporter genes: insights into the development of the avian macrophage lineage. Development. 141: 3255-65. 	

- 9. Luna-Acosta, J.L. *et al.* (2015) Direct antiapoptotic effects of growth hormone are mediated by PI3K/Akt pathway in the chicken bursa of Fabricius. <u>Gen Comp Endocrinol.</u> 224: 148-59.
- 10. Jarosz, Ł. *et al.* (2017) The effect of feed supplementation with zinc chelate and zinc sulphate on selected humoral and cell-mediated immune parameters and cytokine concentration in broiler chickens. <u>Res Vet Sci. 112: 59-65.</u>
- 11. Smialek, M. *et al.* (2017) Immunological aspects of the efficiency of protectotype vaccination strategy against chicken infectious bronchitis. BMC Vet Res. 13 (1): 44.
- 12. Jarosz, Ł.S *et al.* (2018) The effect of feed supplementation with a copper-glycine chelate and copper sulphate on selected humoral and cell-mediated immune parameters, plasma superoxide dismutase activity, ceruloplasmin and cytokine concentration in broiler chickens. J Anim Physiol Anim Nutr (Berl). 102 (1): e326-e36.
- 13. Härtle, S. *et al.* (2024) Delineation of chicken immune markers in the era of omics and multicolor flow cytometry <u>Frontiers in Veterinary Science</u>. 23 May [Epub ahead of print].

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2170F 10041
Regulatory	For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M413133:221118'

Printed on 28 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint