

Datasheet: MCA2171GA

BATCH NUMBER 1601

Description: MOUSE ANTI CHICKEN MHC	CLASS II MONOMORPHIC
Specificity: MHC CLASS II MONOMORPH	HIC
Format: Purified	
Product Type: Monoclonal Antibody	
Clone: 21-1A6	
Isotype: IgG1	
Quantity: 0.1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/50 - 1/100
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation	•			
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Chicken	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G f supernatant	rom tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Carrier Free	Yes	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Chicken bursa cells
Fusion Partners	Spleen cells from immunized Balb/c mice were fused with cells of the mouse NS-1 myeloma cell line
Specificity	Mouse anti Chicken MHC Class II (monomorphic) antibody, clone 21-1A6, recognizes a monomorphic determinant on the chicken B-L molecule, the chicken class II major histocompatibility complex (MHC).
	The level of B-L expression is reported to increase during the bursal phase of B cell differentiation (Veromaa et al. 1988).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul
References	 Veromaa, T. <i>et al.</i> (1988) Expression of B-L and Bu-1 antigens in chickens bursectomized at 60 h of incubation. Eur J Immunol. 18 (2): 225-30. Vainio, O. <i>et al.</i> (1988) Antigen-presenting cell-T cell interaction in the chicken is MHC class II antigen restricted. J Immunol. 140 (9): 2864-8. Petkov, D.I. <i>et al.</i> (2009) Identification and characterization of two distinct bursal B-cell subpopulations following infectious bursal disease virus infection of White Leghorn chickens. Avian Dis. 53 (3): 347-55. Silva, A.B. <i>et al.</i> (2008) Functional analysis of neuropeptides in avian thymocyte development. Dev Comp Immunol. 32 (4): 410-20. Pavlova, S.P. <i>et al.</i> (2010) <i>In vitro</i> and <i>in vivo</i> characterization of glycoprotein C-deleted infectious laryngotracheitis virus. J Gen Virol. 91 (Pt 4): 847-57. Wattrang, E. (2009) Phosphorothioate oligodeoxyribonucleotides induce in vitro proliferation of chicken B-cells. Vet Immunol Immunopathol. 131 (3-4): 218-28. Kamble, N.M. <i>et al.</i> (2016) Interaction of a live attenuated Salmonella gallinarum vaccine candidate with chicken bone marrow-derived dendritic cells. Avian Pathol. 45 (2):
	 8. Jarosz, Ł. <i>et al. et al.</i> (2016) Effects of feed supplementation with glycine chelate and iron sulfate on selected parameters of cell-mediated immune response in broiler chickens. Res Vet Sci. 107: 68-74. 9. Eren, U. <i>et al.</i> (2016) The several elements of intestinal innate immune system at the beginning of the life of broiler chicks. Microsc Res Tech. 79 (7): 604-14. 10. Kamble, N.M. <i>et al.</i> (2016) Activation of chicken bone marrow-derived dendritic cells induced by a <i>Salmonella Enteritidis</i> ghost vaccine candidate. Poult Sci. 95 (10): 2274-80. 11. Jarosz, Ł.S. <i>et al.</i> (2018) The effect of feed supplementation with a copper-glycine chelate and copper sulphate on selected humoral and cell-mediated immune parameters, plasma superoxide dismutase activity, ceruloplasmin and cytokine concentration in broiler chickens. J Anim Physiol Anim Nutr (Berl). 102 (1): e326-e336. 12. Shojadoost, B. <i>et al.</i> (2019) Interactions between lactobacilli and chicken

- macrophages induce antiviral responses against avian influenza virus. Res Vet Sci. 125: 441-50.
- 13. Yildiz, M. et al. (2019) Histological and immunohistochemical studies of the proximal

caecum and caecal tonsils of quail (*Coturnix coturnix japonica*). <u>Anat Histol Embryol. 48</u> (5): 476-85.

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we

recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA2171GA

10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

North & South Tel: +1 800 265 7376

America

Fax: +1 919 878 3751

Worldwide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21

 Fax: +49 (0) 89 8090 95 50
Email: antibody sales de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366283:200529'

Printed on 19 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint