

# Datasheet: MCA2175

Description:	RAT ANTI HUMAN CD195
Specificity:	CD195
Other names:	CCR5
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	HEK/1/85a
Isotype:	lgG2a
Quantity:	0.2 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/50 - 1/100
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein (supernatant	G from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% sodium azide (NaN <sub>3</sub> )	

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	CHO cells transfected with human CCR5
External Database Links	UniProt:  P51681 Related reagents  Entrez Gene:  1234 CCR5 Related reagents
Synonyms	CMKBR5
RRID	AB_324334
Fusion Partners	Spleen cells from immunized rats were fused with cell of the rat Y3 myeloma cell line
Specificity	Rat anti Human CD195 antibody, clone HEK/1/85a recognizes the human CD195 cell surface antigen, a 45 kDa glycoprotein also known as CCR5.
	CD195 acts as a receptor for a number of chemokines including RANTES and eotaxin and serves as a co-receptor for the entry of HIV into cells. CD195 is expressed by a subset of T lymphocytes and by monocytes.
Flow Cytometry	Use 10µl of the suggested working dilution to label 100µl <b>fresh</b> whole blood
References	<ol> <li>Mueller, A. et al. (2002) Pathways for internalization and recycling of the chemokine receptor CCR5. Blood 99 (3): 785-91.</li> <li>Ramirez, R. et al. (2006) Microinflammation in hemodialysis is related to a preactivated subset of monocytes. Hemodial Int. 10 Suppl 1:S24-7.</li> <li>Liptrott, N.J. et al. (2009) The impact of cytokines on the expression of drug transporters, cytochrome P450 enzymes and chemokine receptors in human PBMC. Br J Pharmacol. 156: 497-508.</li> <li>Pilch-Cooper, H.A. et al. (2011) Circulating human CD4 and CD8 T cells do not have large intracellular pools of CCR5. Blood 118: 1015-9.</li> <li>Bönsch, C. et al. (2015) Potent Anti-HIV Chemokine Analogs Direct Post-Endocytic Sorting of CCR5. PLoS One 10 (4): e0125396.</li> <li>Holmannova, D. et al. (2017) Effects of conventional CPB and mini-CPB on neutrophils CD162, CD166 and CD195 expression. Perfusion. 32 (2): 141-50.</li> </ol>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2175">https://www.bio-rad-antibodies.com/SDS/MCA2175</a> 10040
Regulatory	For research purposes only

# **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16...) DyLight®800

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

Rabbit Anti Rat IgG (STAR21...)

HRP

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR72...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M413164:221119'

#### Printed on 23 Jan 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint