

Datasheet: MCA2175A647

BATCH NUMBER 1711

Description:	RAT ANTI HUMAN CD195:Alexa Fluor® 647
Specificity:	CD195
Other names:	CCR5
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	HEK/1/85a
Isotype:	IgG2a
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide		
Stabilisers	1% Bovine Serum Albumin		
Approx. Protein	IgG concentration 0.05 mg/ml		

Concentrations

Immunogen CHO cells transfected with human CCR5

External Database Links

UniProt:

[P51681](#) [Related reagents](#)

Entrez Gene:

[1234](#) CCR5 [Related reagents](#)

Synonyms CMKBR5

RRID AB_322451

Fusion Partners Spleen cells from immunised rats were fused with cell of the rat Y3 myeloma cell line

Specificity **Rat anti Human CD195 antibody, clone HEK/1/85a** recognizes the human CD195 cell surface antigen, a 45 kDa glycoprotein also known as CCR5.

CD195 acts as a receptor for a number of chemokines including RANTES and eotaxin and serves as a co-receptor for the entry of HIV into cells. CD195 is expressed by a subset of T lymphocytes and by monocytes.

Flow Cytometry Use 10ul of the suggested working dilution to label 100ul fresh whole blood.

References

1. Mueller, A. *et al.* (2002) Pathways for internalization and recycling of the chemokine receptor CCR5. [Blood 99 \(3\): 785-91.](#)
 2. Pilch-Cooper, H.A. *et al.* (2011) Circulating human CD4 and CD8 T cells do not have large intracellular pools of CCR5. [Blood 118: 1015-9.](#)
 3. Ramirez, R. *et al.* (2006) Microinflammation in hemodialysis is related to a preactivated subset of monocytes. [Hemodial Int. 10 Suppl 1:S24-7.](#)
 4. Liptrott, N.J. *et al.* (2009) The impact of cytokines on the expression of drug transporters, cytochrome P450 enzymes and chemokine receptors in human PBMC. [Br J Pharmacol. 156: 497-508.](#)
 5. Bönsch, C. *et al.* (2015) Potent Anti-HIV Chemokine Analogs Direct Post-Endocytic Sorting of CCR5. [PLoS One 10 \(4\): e0125396.](#)
 6. Holmannova, D. *et al.* (2017) Effects of conventional CPB and mini-CPB on neutrophils CD162, CD166 and CD195 expression. [Perfusion. 32 \(2\): 141-50.](#)
-

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing as this may denature the antibody. Should this

product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2175A647>
10041

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA6005A647\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M366290:200529'

Printed on 29 Apr 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)