

# Datasheet: MCA2175A647

Description:	RAT ANTI HUMAN CD195:Alexa Fluor® 647		
Specificity:	CD195		
Other names:	CCR5		
Format:	ALEXA FLUOR® 647		
Product Type:	Monoclonal Antibody		
Clone:	HEK/1/85a		
lsotype:	lgG2a		
Quantity:	100 TESTS/1ml		

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				ations or personal ndicated for further		
		Yes N	1 c	Not Determined	Suggested Dilution		
	Flow Cytometry	•			Neat - 1/10		
	Where this product ha	s not been tested	l for use i	in a particular tecl	nnique this does not		
	a guide only. It is reco	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human						
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid						
Max Ex/Em	Fluorophore	Excitation Max (	nm) Em	ission Max (nm)			
	Alexa Fluor®647	650		665			
Preparation	Purified IgG prepared supernatant	by affinity chrom	atography	y on Protein G fro	m tissue culture		
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% sodium azide (NaN <sub>3</sub> ) 1% bovine serum albumin						
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml						

Immunogen	CHO cells transfected with human CCR5
External Database Links	UniProt: <u>P51681</u> <u>Related reagents</u> Entrez Gene: <u>1234</u> CCR5 <u>Related reagents</u>
Synonyms	CMKBR5
RRID	AB_322451
Fusion Partners	Spleen cells from immunized rats were fused with cell of the rat Y3 myeloma cell line
Specificity	Rat anti Human CD195 antibody, clone HEK/1/85a recognizes the human CD195 cell surface antigen, a 45 kDa glycoprotein also known as CCR5.
	CD195 acts as a receptor for a number of chemokines including RANTES and eotaxin and serves as a co-receptor for the entry of HIV into cells. CD195 is expressed by a subset of T lymphocytes and by monocytes.
Flow Cytometry	Use $10\mu$ I of the suggested working dilution to label $100\mu$ I fresh whole blood
References	<ol> <li>Mueller, A. <i>et al.</i> (2002) Pathways for internalization and recycling of the chemokine receptor CCR5. <u>Blood 99 (3): 785-91.</u></li> <li>Ramirez, R. <i>et al.</i> (2006) Microinflammation in hemodialysis is related to a preactivated subset of monocytes. <u>Hemodial Int. 10 Suppl 1:S24-7.</u></li> <li>Liptrott, N.J. <i>et al.</i> (2009) The impact of cytokines on the expression of drug transporters, cytochrome P450 enzymes and chemokine receptors in human PBMC. <u>Br J Pharmacol. 156: 497-508.</u></li> <li>Pilch-Cooper, H.A. <i>et al.</i> (2011) Circulating human CD4 and CD8 T cells do not have large intracellular pools of CCR5. <u>Blood 118: 1015-9.</u></li> <li>Bönsch, C. <i>et al.</i> (2015) Potent Anti-HIV Chemokine Analogs Direct Post-Endocytic Sorting of CCR5. <u>PLoS One 10 (4): e0125396.</u></li> <li>Holmannova, D. <i>et al.</i> (2017) Effects of conventional CPB and mini-CPB on neutrophils CD162, CD166 and CD195 expression. <u>Perfusion. 32 (2): 141-50.</u></li> </ol>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.
Guarantee	12 months from date of despatch

Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2175A647 10041

Regulatory	For research purposes only
	i or recearch parpecee only

# **Related Products**

## **Recommended Negative Controls**

RAT IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 (MCA6005A647)

### **Recommended Useful Reagents**

### HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M413160:221119'

#### Printed on 24 Feb 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint