

# Datasheet: MCA2175GA

Description: RAT ANTI HUMAN CD19	
Specificity:	CD195
Other names:	CCR5
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	HEK/1/85a
Isotype:	lgG2a
Quantity:	0.1 mg

#### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/50 - 1/100
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein C supernatant	G from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% sodium azide (NaN <sub>3</sub> )	

Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	CHO cells transfected with human CCR5	
External Database Links	UniProt:  P51681 Related reagents  Entrez Gene:  1234 CCR5 Related reagents	
Synonyms	CMKBR5	
RRID	AB_324205	
Fusion Partners	Spleen cells from immunized rats were fused with cell of the rat Y3 myeloma cell line	
Specificity	Rat anti Human CD195 antibody, clone HEK/1/85a recognizes the human CD195 cell surface antigen, a 45 kDa glycoprotein also known as CCR5.	
	CD195 acts as a receptor for a number of chemokines including RANTES and eotaxin and serves as a co-receptor for the entry of HIV into cells. CD195 is expressed by a subset of T lymphocytes and by monocytes.	
Flow Cytometry	Use 10µl of the suggested working dilution to label 100&mul <b>fresh</b> whole blood	
References	<ol> <li>Mueller, A. <i>et al.</i> (2002) Pathways for internalization and recycling of the chemokine receptor CCR5. <u>Blood 99 (3): 785-91.</u></li> <li>Ramirez, R. <i>et al.</i> (2006) Microinflammation in hemodialysis is related to a preactivated subset of monocytes. <u>Hemodial Int. 10 Suppl 1:S24-7.</u></li> <li>Liptrott, N.J. <i>et al.</i> (2009) The impact of cytokines on the expression of drug transporters, cytochrome P450 enzymes and chemokine receptors in human PBMC. <u>Br J Pharmacol. 156: 497-508.</u></li> <li>Pilch-Cooper, H.A. <i>et al.</i> (2011) Circulating human CD4 and CD8 T cells do not have large intracellular pools of CCR5. <u>Blood 118: 1015-9.</u></li> <li>Bönsch, C. <i>et al.</i> (2015) Potent Anti-HIV Chemokine Analogs Direct Post-Endocytic Sorting of CCR5. <u>PLoS One 10 (4): e0125396.</u></li> <li>Holmannova, D. <i>et al.</i> (2017) Effects of conventional CPB and mini-CPB on neutrophils CD162, CD166 and CD195 expression. <u>Perfusion. 32 (2): 141-50.</u></li> </ol>	
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.	
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.	

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2175GA">https://www.bio-rad-antibodies.com/SDS/MCA2175GA</a>
Regulatory	For research purposes only

## **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...) FITC

Goat Anti Rat IgG (STAR73...) RPE

Rabbit Anti Rat IgG (STAR21...) HRP

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR72...)

HRP
Goat Anti Rat IgG (STAR69...)

FITC

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M413158:221119'

### Printed on 15 Aug 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint