

## Datasheet: MCA2209T

<b>Description:</b>	RAT ANTI MOUSE CD79b
<b>Specificity:</b>	CD79b
<b>Other names:</b>	B29
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	AT107-2
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	25 µg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			1/500 - 1/1000
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1) Membrane permeabilization is required for this application. The use of Leucoperm (Product Code [BUF09](#)) is recommended for this purpose.**

<b>Target Species</b>	Mouse
<b>Species Cross Reactivity</b>	<p>Reacts with: Human, Rat, Pig, Dog, Koala, Tasmanian Devil, Cat</p> <p>Does not react with: Chicken</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
<b>Product Form</b>	Purified IgG - liquid

<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	TRIS buffered saline
<b>Preservative Stabilisers</b>	0.09% sodium azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Peptide containing 20 amino acid residues from mouse CD79b conjugated to Keyhole Limpet Hemocyanin (KLH).
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P15530</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">15985</a> Cd79b    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	Igb
<b>RRID</b>	AB_1102341
<b>Fusion Partners</b>	Spleen cells from immunised rat were fused with cells of the mouse NS-1 myeloma cell line.
<b>Specificity</b>	<b>Rat anti Mouse CD79b antibody, clone AT107-2</b> recognizes a cytoplasmic region of mouse B-cell antigen receptor complex-associated protein beta chain, also known as B-cell-specific glycoprotein B29, Ig-beta, or Immunoglobulin-associated B29 protein. CD79b is a 228 amino acid, including a 26 signal peptide ~40 kDa type I single pass transmembrane glycoprotein. CD79b is expressed by B lymphocytes and associates with CD79a to form a heterodimer, non-covalently linked to surface immunoglobulin, forming the B-cell receptor (BCR) complex. Rat anti Mouse CD79b antibody, clone AT107-2 also recognizes a homologous region of human CD79b.
<b>Flow Cytometry</b>	Use 10µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100µl
<b>Western Blotting</b>	This clone is suitable for use in Western blotting applications. We recommend the use of <a href="#">MCA2209</a> for this purpose.
<b>References</b>	<ol style="list-style-type: none"> <li>Vendel, A.C. <i>et al</i> (2009) B and T lymphocyte attenuator regulates B cell receptor signaling by targeting Syk and BLNK. <a href="#">J Immunol. 182: 1509-17</a></li> <li>Kreiss, A. <i>et al</i>. (2009) A histological and immunohistochemical analysis of lymphoid tissues of the Tasmanian devil. <a href="#">Anat Rec (Hoboken). 292: 611-20.</a></li> <li>Dornan, D. <i>et al</i>. (2009) Therapeutic potential of an anti-CD79b antibody-drug conjugate, anti-CD79b-vc-MMAE, for the treatment of non-Hodgkin lymphoma. <a href="#">Blood. 114: 2721-9.</a></li> </ol>

4. Lau, Q. *et al.* (2012) Expression and *in vitro* upregulation of MHCII in koala lymphocytes. [Vet Immunol Immunopathol. 147: 35-43.](#)
5. Thalheim, L. *et al.* (2013) Lymphoma immunophenotype of dogs determined by immunohistochemistry, flow cytometry, and polymerase chain reaction for antigen receptor rearrangements. [J Vet Intern Med. 27 \(6\): 1509-16.](#)
6. McCurdy, P. *et al.* (2014) Acute lymphoblastic leukemia in a pygmy hippopotamus (*Hexaprotodon liberiensis*). [J Zoo Wildl Med. 45 \(4\): 906-10.](#)
7. Kandasamy S *et al.* (2014) Prenatal vitamin A deficiency impairs adaptive immune responses to pentavalent rotavirus vaccine (RotaTeq®) in a neonatal gnotobiotic pig model. [Vaccine. 32 \(7\): 816-24.](#)
8. Ouyang, K. *et al.* (2015) Evaluation of humoral immune status in porcine epidemic diarrhea virus (PEDV) infected sows under field conditions. [Vet Res. 46: 140.](#)
9. Whitney, J.L. *et al.* (2016) Immunohistochemical Analysis of Leucocyte Subsets in the Sinonasal Mucosa of Cats with Upper Respiratory Tract Aspergillosis. [J Comp Pathol. 155 \(2-3\): 130-40.](#)
10. Poggi, A. *et al.* (2017) Prognostic significance of Ki67 evaluated by flow cytometry in dogs with high-grade B-cell lymphoma. [Vet Comp Oncol. 15 \(2\): 431-40.](#)
11. Bennett, A.L. *et al.* (2017) Canine acute leukaemia: 50 cases (1989-2014). [Vet Comp Oncol. 15 \(3\): 1101-14.](#)
12. Allan, J.N. *et al.* (2019) CD79b Expression in Richter's Transformation [Blood. 134 \(Supplement 1\): 4279.](#)
13. Borthwick, C.R. *et al.* (2019) An Examination of the Development and Localization of Key Immune Cells in Developing Pouch Young of the Red-Tailed Phascogale (*Phascogale calura*). [Anat Rec \(Hoboken\). 302 \(11\): 1985-2002.](#)
14. Tilly, H. *et al.* (2019) Polatuzumab vedotin in combination with immunochemotherapy in patients with previously untreated diffuse large B-cell lymphoma: an open-label, non-randomised, phase 1b–2 study [The Lancet Oncology. 20 \(7\): 998-1010.](#)
15. Sehn, L.H. *et al.* (2020) Polatuzumab Vedotin in Relapsed or Refractory Diffuse Large B-Cell Lymphoma. [J Clin Oncol. 38 \(2\): 155-65.](#)
16. Herrera, A.F. *et al.* (2022) Anti-CD79B Antibody-Drug Conjugate DCDS0780A in Patients with B-Cell Non-Hodgkin Lymphoma: Phase 1 Dose-Escalation Study. [Clin Cancer Res. Jan 03 \[Epub ahead of print\].](#)

---

**Further Reading** 1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. [Vet Res. 39: 54.](#)

---

**Storage** This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10057 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2209T>  
10057

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...)	<a href="#">FITC</a>
Goat Anti Rat IgG (STAR73...)	<a href="#">RPE</a>
Rabbit Anti Rat IgG (STAR17...)	<a href="#">FITC</a>
Goat Anti Rat IgG (STAR72...)	<a href="#">HRP</a>
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	<a href="#">DyLight®550</a> , <a href="#">DyLight®650</a> , <a href="#">DyLight®800</a>
Rabbit Anti Rat IgG (STAR21...)	<a href="#">HRP</a>
Rabbit Anti Rat IgG (STAR16...)	<a href="#">DyLight®800</a>
Goat Anti Rat IgG (STAR131...)	<a href="#">Alk. Phos.</a> , <a href="#">Biotin</a>

**North & South** Tel: +1 800 265 7376**America** Fax: +1 919 878 3751Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M413297:221121'

**Printed on 12 Aug 2023**