

Datasheet: MCA2212GA

#### **BATCH NUMBER 169087**

| Description: MOUSE ANTI SHEEP CE |                     |
|----------------------------------|---------------------|
| Specificity:                     | CD1                 |
| Format:                          | Purified            |
| <b>Product Type:</b>             | Monoclonal Antibody |
| Clone:                           | 20.27               |
| Isotype:                         | lgG1                |
| Quantity:                        | 0.1 mg              |

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                            | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry             | •   |    |                | 1/25 - 1/100       |
| Immunohistology - Frozen   | •   |    |                |                    |
| Immunohistology - Paraffin |     |    |                |                    |
| ELISA                      |     |    | •              |                    |
| Immunoprecipitation        |     |    |                |                    |
| Western Blotting           |     |    | •              |                    |
| Immunofluorescence         |     |    |                |                    |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species              | Sheep  |
|-----------------------------|--|
| Species Cross<br>Reactivity | Reacts with: Goat, Bovine  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |
| Product Form                | Purified IgG - liquid  |
| Preparation                 | Purified IgG prepared by affinity chromatography on Protein A from tissue culture  |

supernatant

| Buffer Solution                | Phosphate buffered saline  |  |  |
|--------------------------------|--|--|--|
| Preservative<br>Stabilisers    | 0.09% sodium azide (NaN <sub>3</sub> )   |  |  |
| Carrier Free                   | Yes  |  |  |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml  |  |  |
| Immunogen                      | Ovine thymocytes   |  |  |
| External Database<br>Links     | UniProt:   |  |  |
|                                | Q29422 Related reagents  |  |  |
|                                | O62848 Related reagents  |  |  |
|                                | Q28565 Related reagents  |  |  |
|                                | P80943 Related reagents  |  |  |
|                                | Entrez Gene:   |  |  |
|                                | 443441 LOC443441 Related reagents  |  |  |
|                                | 100144424 CD1D <u>Related reagents</u>   |  |  |
|                                | 443423 CD1B <u>Related reagents</u>  |  |  |
|                                | 100144425 CD1 Related reagents   |  |  |
| Fusion Partners                | Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line  |  |  |
| Specificity                    | Mouse anti Sheep CD1 antibody, clone 20.27 recognises the ovine CD1 cell surface antigen. CD1 is primarily expressed in cortical thymocytes and dendritic cells in the dermis, afferent lymph, lymph node, spleen and thymus. Mouse anti Sheep CD1 antibody, clone 20.27 does not bind to granulocytes, platelets or erythrocytes.   |  |  |
| Flow Cytometry                 | Use 10 $\mu$ l of the suggested working dilution to label 1 x 10 $^6$ cells in 100 $\mu$ l   |  |  |
| References                     | <ol> <li>Mackay, C.R. <i>et al.</i> (1985) Characterization of two sheep lymphocyte differentiation antigens, SBU-T1 and SBU-T6. <a href="mailto:lmmunology.55">lmmunology.55</a> (4): 729-37.</li> <li>Mackay, C.R. <i>et al.</i> (1986) Thymocyte subpopulations during early fetal development in sheep. <a href="mailto:J lmmunol.136">J lmmunol. 136</a> (5): 1592-9.</li> <li>Hemati, B. <i>et al.</i> (2009) Bluetongue virus targets conventional dendritic cells in skin lymph. <a href="mailto:J Virol.83:8789-99">J Virol. 83: 8789-99</a>.</li> <li>Chan, S.S. <i>et al.</i> (2002) Generation and characterization of ovine dendritic cells derived from peripheral blood monocytes. <a href="mailto:lmmunology 107:366-72">lmmunology 107:366-72</a>.</li> </ol> |  |  |
| Storage                        | This product is shipped at ambient temperature. It is recommended to aliquot and store a -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C fo  |  |  |

short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

| Guarantee                        | 12 months from date of despatch  |
|----------------------------------|--|
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2212GA">https://www.bio-rad-antibodies.com/SDS/MCA2212GA</a> 10040 |
| Regulatory                       | For research purposes only   |

# **Related Products**

# **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

Goat Anti Mouse IgG (STAR76...)

RPE

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP
Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M431615:240731'

#### Printed on 31 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint