

Datasheet: MCA2213GA

Description:	MOUSE ANTI SHEEP CD4
Specificity:	CD4
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	44.38
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	
Immunofluorescence	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Sheep
Species Cross Reactivity	<p>Reacts with: Goat</p> <p>N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Fetal thymocytes.
External Database Links	UniProt: P05542 Related reagents
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse P3-NS1/1-Ag-4-1 myeloma cell line.
Specificity	Mouse anti Sheep CD4 antibody, clone 44.38 recognizes the ovine CD4 cell surface glycoprotein, expressed by a subset of mature T lymphocytes. Mouse anti Sheep CD4 antibody, clone 44.38 immunoprecipitates a protein of ~56 kDa under reducing conditions.
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl
References	<ol style="list-style-type: none"> 1. Mackay, C.R. <i>et al.</i> (1986) Three distinct subpopulations of sheep T lymphocytes. Eur J Immunol. 16 (1): 19-25. 2. Mackay, C.R. <i>et al.</i> (1986) Thymocyte subpopulations during early fetal development in sheep. J Immunol. 136 (5): 1592-9. 3. Mackay, C.R. <i>et al.</i> (1987) A monoclonal antibody to the p220 component of sheep LCA identifies B cells and a unique lymphocyte subset. Cell Immunol. 110 (1): 46-55. 4. Brown, M.N. <i>et al.</i> (2010) Chemoattractant receptors and lymphocyte egress from extralymphoid tissue: changing requirements during the course of inflammation. J Immunol. 185: 4873-82. 5. Breugelmans, S. <i>et al.</i> (2010) Immunoassay of lymphocyte subsets in ovine palatine tonsils. Acta Histochem. 113: 416-22. 6. Connelley, T. <i>et al.</i> (2011) NKp46 defines ovine cells that have characteristics corresponding to NK cells. Vet Res. 42: 37. 7. Debes, G.F. <i>et al.</i> (2005) Chemokine receptor CCR7 required for T lymphocyte exit from peripheral tissues. Nat Immunol. 6: 889-94. 8. Foulon, E. <i>et al.</i> (2008) Two populations of ovine bone marrow-derived dendritic cells can be generated with recombinant GM-CSF and separated on CD11b expression. J Immunol Methods. 339: 1-10. 9. Umeshappa, C.S. <i>et al.</i> (2010) Cell-mediated immune response and cross-protective efficacy of binary ethylenimine-inactivated bluetongue virus serotype-1 vaccine in sheep. Vaccine. 28: 2522-31. 10. Silva, A.P. <i>et al.</i> (2015) Encapsulated <i>Brucella ovis</i> Lacking a Putative ATP-Binding Cassette Transporter (ΔabcBA) Protects against Wild Type <i>Brucella ovis</i> in Rams. PLoS One. 10 (8): e0136865.

11. Gillan, S. *et al.* (2010) Identification of immune parameters to differentiate disease states among sheep infected with *Mycobacterium avium* subsp. *paratuberculosis*. [Clin Vaccine Immunol. 17: 108-17.](#)
12. Lacroux, C. *et al.* (2011) Prionemia and leuco-platelet associated infectivity in sheep TSE models. [J Virol. 86: 2056-66.](#)
13. Summers, C. *et al.* (2012) The distribution of immune cells in the lungs of classical and atypical ovine pulmonary adenocarcinoma. [Vet Immunol Immunopathol. 146: 1-7.](#)
14. Lybeck, K.R. *et al.* (2012) Intestinal Strictures, Fibrous Adhesions and High Local Interleukin-10 Levels in Goats Infected Naturally with *Mycobacterium avium* subsp. *paratuberculosis*. [J Comp Pathol. 148: 157-72.](#)
15. Gómez, D. *et al.* (2015) Effector T Cell Egress via Afferent Lymph Modulates Local Tissue Inflammation. [J Immunol. 195 \(8\): 3531-6.](#)
16. Kalyanasundaram, A. *et al.* (2015) Comparative immunoprophylactic efficacy of *Haemonchus contortus* recombinant enolase (rHcENO) and Con A purified native glycoproteins in sheep. [Exp Parasitol. 154: 98-107.](#)
17. Goh, S. *et al.* (2016) Identification of *Theileria lestoquardi* Antigens Recognized by CD8+ T Cells. [PLoS One. 11 \(9\): e0162571.](#)
18. Wattegedera, S.R. *et al.* (2017) Enhancing the toolbox to study IL-17A in cattle and sheep. [Vet Res. 48 \(1\): 20.](#)
19. Greer, A.W. *et al.* (2018) Immune development and performance characteristics of Romney sheep selected for either resistance or resilience to gastrointestinal nematodes. [Vet Parasitol. 250: 60-7.](#)
20. Higgins, J.L. *et al.* (2018) Cell mediated immune response in goats after experimental challenge with the virulent *Brucella melitensis* strain 16M and the reduced virulence strain Rev. 1. [Vet Immunol Immunopathol. 202: 74-84.](#)
21. Pérez-caballero, R. *et al.* (2018) Comparative dynamics of peritoneal cell immunophenotypes in sheep during the early and late stages of the infection with *Fasciola hepatica* by flow cytometric analysis. [Parasit Vectors. 11 \(1\): 640.](#)
22. Baliu-piqué, M. *et al.* (2019) Age-related distribution and dynamics of T-cells in blood and lymphoid tissues of goats. [Dev Comp Immunol. 93: 1-10.](#)
23. Schwarz, E.R. *et al.* (2020) Experimental Infection of Mid-Gestation Pregnant Female and Intact Male Sheep with Zika Virus. [Viruses. 12 \(3\) Mar 07 \[Epub ahead of print\].](#)
24. Zhang, H. *et al.* (2020) Thiamine ameliorates inflammation of the ruminal epithelium of Saanen goats suffering from subacute ruminal acidosis. [J Dairy Sci. 103 \(2\): 1931-43.](#)
25. Ramos, A. *et al.* (2018) Melatonin enhances responsiveness to *Dichelobacter nodosus*. vaccine in sheep and increases peripheral blood CD4 T lymphocytes and IgG-expressing B lymphocytes. [Vet Immunol Immunopathol. 206: 1-8.](#)
26. Curina, G. *et al.* (2018) Evaluation of immune responses in mice and sheep inoculated with a live attenuated *Brucella melitensis*. REV1 vaccine produced in bioreactor. [Vet Immunol Immunopathol. 198: 44-53.](#)
27. Ducournau, C. *et al.* (2020) Effective Nanoparticle-Based Nasal Vaccine Against Latent and Congenital Toxoplasmosis in Sheep. [Front Immunol. 11: 2183.](#)
28. Wooldridge, A.L. *et al.* (2019) Maternal allergic asthma during pregnancy alters fetal lung and immune development in sheep: potential mechanisms for programming asthma and allergy. [J Physiol. 597 \(16\): 4251-62.](#)
29. Yang, J. *et al.* (2022) Baseline T-lymphocyte and cytokine indices in sheep peripheral blood. [BMC Vet Res. 18 \(1\): 165.](#)

30. Nashiruddullah, N. *et al.* (2021) Dermal Response to Experimental Orfivirus (ORFV) Infection in Goats, Mice and Rabbit [Indian J Anim Res. 56 \(8\): B-4266 1003-9.](#)

Further Reading 1. Lybeck, K. R. *et al.* (2009) Neutralization of interleukin-10 from CD14(+) monocytes enhances gamma interferon production in peripheral blood mononuclear cells from *Mycobacterium avium* subsp. paratuberculosis-infected goats. [Clin. Vaccine. Immunol. 16: 1003-11.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) [HRP](#)
Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

North & South America Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M413325:221121'

Printed on 21 Nov 2022