

## Datasheet: MCA2216GA

**BATCH NUMBER 173221**

<b>Description:</b>	MOUSE ANTI SHEEP CD8
<b>Specificity:</b>	CD8
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	38.65
<b>Isotype:</b>	IgG2a
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Sheep
<b>Species Cross Reactivity</b>	<p>Reacts with: Bovine, Goat</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% sodium azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Ovine efferent lymphocytes.
<b>Fusion Partners</b>	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Sheep CD8 antibody, clone 38.65</b> recognizes the ovine CD8 cell surface antigen, which is expressed by the cytotoxic/suppressor subset of T lymphocytes.</p> <p>Under reducing conditions, the antigens immunoprecipitated by Mouse anti Sheep CD8 antibody, clone 38.65 migrate at ~33 kDa and ~36 kDa.</p>
<b>Flow Cytometry</b>	Use 10µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl
<b>References</b>	<ol style="list-style-type: none"> <li>Maddox, J.F. <i>et al.</i> (1985) Surface antigens, SBU-T4 and SBU-T8, of sheep T lymphocyte subsets defined by monoclonal antibodies. <a href="#">Immunology. 55 (4): 739-48.</a></li> <li>Mackay, C.R. <i>et al.</i> (1986) Three distinct subpopulations of sheep T lymphocytes. <a href="#">Eur J Immunol. 16 (1): 19-25.</a></li> <li>Mackay, C.R. <i>et al.</i> (1986) Thymocyte subpopulations during early fetal development in sheep. <a href="#">J Immunol. 136 (5): 1592-9.</a></li> <li>Mackay, C.R. <i>et al.</i> (1987) A monoclonal antibody to the p220 component of sheep LCA identifies B cells and a unique lymphocyte subset. <a href="#">Cell Immunol. 110 (1): 46-55.</a></li> <li>Mackay, C.R. <i>et al.</i> (1989) Gamma/delta T cells express a unique surface molecule appearing late during thymic development. <a href="#">Eur J Immunol. 19 (8): 1477-83.</a></li> <li>Bruce, C.J. <i>et al.</i> (1999) Depletion of bovine CD8+ T cells with chCC63, a chimaeric mouse-bovine antibody. <a href="#">Vet Immunol Immunopathol. 71 (3-4): 215-31.</a></li> <li>Chan, S.S. <i>et al.</i> (2002) Generation and characterization of ovine dendritic cells derived from peripheral blood monocytes. <a href="#">Immunology. 107: 366-72.</a></li> <li>Lybeck, K.R. <i>et al.</i> (2009) Neutralization of interleukin-10 from CD14(+) monocytes enhances gamma interferon production in peripheral blood mononuclear cells from Mycobacterium avium subsp. paratuberculosis-infected goats. <a href="#">Clin Vaccine Immunol. 16 (7): 1003-11.</a></li> <li>Lybeck, K.R. <i>et al.</i> (2009) Neutralization of interleukin-10 from CD14(+) monocytes enhances gamma interferon production in peripheral blood mononuclear cells from Mycobacterium avium subsp. paratuberculosis-infected goats. <a href="#">Clin Vaccine Immunol. 16: 1003-11.</a></li> <li>Breugelmans, S. <i>et al.</i> (2010) Immunoassay of lymphocyte subsets in ovine palatine tonsils. <a href="#">Acta Histochem. 113(4):416-22</a></li> <li>Elhmuouzi-Younes, J. <i>et al.</i> (2010) Ovine CD16+/CD14- blood lymphocytes present all</li> </ol>

- the major characteristics of natural killer cells. [Vet Res. 41: 4.](#)
12. Kallapur, S.G. *et al.* (2011) Pulmonary and Systemic Inflammatory Responses to Intraamniotic IL-1 alpha in fetal sheep. [Am J Physiol Lung Cell Mol Physiol. 301\(3\):L285-95](#)
  13. Lybeck, K.R. *et al.* (2012) Intestinal Strictures, Fibrous Adhesions and High Local Interleukin-10 Levels in Goats Infected Naturally with *Mycobacterium avium* subsp. *paratuberculosis*. [J Comp Pathol. 148: 157-72.](#)
  14. Nfon, C.K. *et al.* (2012) Innate Immune Response to Rift Valley Fever Virus in Goats. [PLoS Negl Trop Dis.6 \(4\): e1623.](#)
  15. Olsen, L. *et al.* (2015) The early intestinal immune response in experimental neonatal ovine cryptosporidiosis is characterized by an increased frequency of perforin expressing NCR1(+) NK cells and by NCR1(-) CD8(+) cell recruitment. [Vet Res. 46: 28.](#)
  16. Goh, S. *et al.* (2016) Identification of *Theileria lestoquardi* Antigens Recognized by CD8+ T Cells. [PLoS One. 11 \(9\): e0162571.](#)
  17. Arranz-Solís, D. *et al.* (2016) Systemic and local immune responses in sheep after *Neospora caninum* experimental infection at early, mid and late gestation. [Vet Res. 47: 2.](#)
  18. Ramos, A. *et al.* (2018) Melatonin enhances responsiveness to Dichelobacter nodosus vaccine in sheep and increases peripheral blood CD4 T lymphocytes and IgG-expressing B lymphocytes. [Vet Immunol Immunopathol. 206: 1-8.](#)
  19. Curina, G. *et al.* (2018) Evaluation of immune responses in mice and sheep inoculated with a live attenuated *Brucella melitensis*. REV1 vaccine produced in bioreactor. [Vet Immunol Immunopathol. 198: 44-53.](#)
  20. Baliu-piqué, M. *et al.* (2019) Age-related distribution and dynamics of T-cells in blood and lymphoid tissues of goats. [Dev Comp Immunol. 93: 1-10.](#)
  21. Wooldridge, A.L. *et al.* (2019) Maternal allergic asthma during pregnancy alters fetal lung and immune development in sheep: potential mechanisms for programming asthma and allergy. [J Physiol. 597 \(16\): 4251-62.](#)
  22. Schwarz, E.R. *et al.* (2020) Experimental Infection of Mid-Gestation Pregnant Female and Intact Male Sheep with Zika Virus. [Viruses. 12 \(3\)Mar 07 \[Epub ahead of print\].](#)
  23. Zhang, H. *et al.* (2020) Thiamine ameliorates inflammation of the ruminal epithelium of Saanen goats suffering from subacute ruminal acidosis. [J Dairy Sci. 103 \(2\): 1931-43.](#)
  24. Ducournau, C. *et al.* (2020) Effective Nanoparticle-Based Nasal Vaccine Against Latent and Congenital Toxoplasmosis in Sheep. [Front Immunol. 11: 2183.](#)
  25. Yang, J. *et al.* (2022) Baseline T-lymphocyte and cytokine indices in sheep peripheral blood. [BMC Vet Res. 18 \(1\): 165.](#)
  26. Yang, J. *et al.* (2023) Recombinant antigen P29 of *Echinococcus granulosus* induces Th1, Tc1, and Th17 cell immune responses in sheep. [Front Immunol. 14: 1243204.](#)
  27. Royo, M. *et al.* (2025) Effect of paratuberculosis vaccination before and after oral experimental infection with *Mycobacterium avium* subspecies *paratuberculosis* in goats. [Vet Q. 45 \(1\): 2566363.](#)

---

**Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2216GA">https://www.bio-rad-antibodies.com/SDS/MCA2216GA</a>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®550</a> , <a href="#">DyLight®650</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>

### Recommended Useful Reagents

[MOUSE ANTI SHEEP CD4:RPE \(MCA2213PE\)](#)  
[MOUSE ANTI SHEEP CD4:FITC \(MCA2213F\)](#)  
[MOUSE ANTI SHEEP CD4:Alexa Fluor® 647 \(MCA2213A647\)](#)

**Product inquiries:** [www.bio-rad-antibodies.com/technical-support](http://www.bio-rad-antibodies.com/technical-support)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](http://bio-rad-antibodies.com/datasheets)  
 'M449866:260216'

Printed on 05 May 2026