

Datasheet: MCA2219F BATCH NUMBER 159933

Description:	MOUSE ANTI SHEEP CD44:FITC
Specificity:	CD44
Other names:	H-CAM, PGP-1
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	25.32
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Sheep			
Species Cross	Reacts with: Bovi	ine, Goat, Human		
Reactivity	reactivity is derive	activity and working conditied from testing within our landstance or landstance or signated in the control of t	aboratories, peer-re	viewed publications or
Product Form	Purified IgG conju	ugated to Fluorescein Isoth	niocyanate Isomer 1	(FITC) - liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm))
	FITC	490	525	
Preparation	Purified IgG prep supernatant	ared by affinity chromatog	raphy on Protein A f	rom tissue culture

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin
Approx. Protein	IgG concentration 0.1 mg/ml
Immunogen	Ovine efferent lymphatic duct lymphocytes
RRID	AB_323830
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line.
Specificity	Mouse anti Sheep CD44 antibody, clone 25.32 recognises the ovine CD44 cell surface antigen, a ~95 kDa glycoprotein expressed by most leucocytes and a subpopulation of thymocytes. In immunohistochemical staining, this antibody labels several cell types including medullary thymocytes, kupffer cells, kidney tubular epithelial cells and gut smooth muscle cells. The expression of CD44 is upregulated upon cell activation.
	Mouse anti Sheep CD44 antibody, clone 25.32 is a valuable ragent for the isolation and characterization of ovine mesenchymal stem cells along with CD29 and <u>CD166</u> which are also expressed on this cell type, in contrast to hematopoietic sell markers including <u>CD45</u> which is negative on this mesenchymal stem sell population (<u>Sanjurjo-Rodríguez et al. 2017</u>).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1 x 10^6 cells in 100ul.
References	 Aleksandersen, M. <i>et al.</i> (1990) Distribution of lymphocyte subsets in the large intestinal lymphoid follicles of lambs. <u>Immunology. 70 (3): 391-7.</u> Perry, K. <i>et al.</i> (2010) Hyaluronan (HA) content, the ratio of HA fragments and the expression of CD44 in the ovine cervix vary with the stage of the oestrous cycle. <u>Reproduction. 140:133-41.</u> Stevenson, L.M. <i>et al.</i> (2001) Expression of cell surface adhesion molecules by peripheral blood eosinophils during <i>Trichostrongylus colubriformis</i> infection in sheep. <u>Immunol Cell Biol. 79 (3): 240-4.</u> Witherden, D.A. <i>et al.</i> (1995) Antigen-independent maturation of CD2, CD11a/CD18, CD44, and CD58 expression on thymic emigrants in fetal and postnatal sheep. <u>Dev Immunol. 4:199-209</u>

- 5. Sanjurjo-Rodríguez, C. *et al.* (2017) Ovine Mesenchymal Stromal Cells: Morphologic, Phenotypic and Functional Characterization for Osteochondral Tissue Engineering. <u>PLoS One. 12 (1): e0171231.</u>
- 6. Wooldridge, A.L. *et al.* (2019) Maternal allergic asthma during pregnancy alters fetal lung and immune development in sheep: potential mechanisms for programming asthma and allergy. <u>J Physiol. 597 (16): 4251-62.</u>
- 7. López-Fernández, A. *et al.* (2020) Effect of Allogeneic Cell-Based Tissue-Engineered Treatments in a Sheep Osteonecrosis Model. <u>Tissue Eng Part A. 26 (17-18): 993-1004.</u>

- 8. Zhang, P. *et al.* (2021) Differences in the biological properties of mesenchymal stromal cells from traumatic temporomandibular joint fibrous and bony ankylosis: a comparative study <u>Animal Cells and Systems.</u>: 1-16.
- 9. Savy, V. *et al.* (2021) Effect of Embryo Aggregation on *In Vitro* Development of Adipose-Derived Mesenchymal Stem Cell-Derived Bovine Clones. <u>Cell Reprogram. 23 (5):</u> 277-289.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2219F 10041
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M390858:211005'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint