

Datasheet: MCA2221GA

Description:	MOUSE ANTI SHEEP CD45R
Specificity:	CD45R
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	20.96
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Sheep
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Sheep thymocytes

Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line
Specificity	Mouse anti Sheep CD45R antibody, clone 20.96 recognizes the ovine CD45R cell surface antigen, a ~220 kDa glycoprotein, expressed by all B lymphocytes and a subset of T lymphocytes. In immunohistochemical staining the antibody labels all lymphocytes within the B cell follicles as well as scattered cells in interfollicular areas.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1 x 10 ⁶ cells in 100ul
References	<ol style="list-style-type: none"> 1. Lee, C.S. <i>et al.</i> (1988) Identification of a unique lymphocyte subpopulation in the sheep uterus. Immunology. 63: 157-64. 2. Dutia, B.M. <i>et al.</i> (1993) Analysis of the monoclonal antibodies comprising WC6. Vet Immunol Immunopathol. 39: 193-9. 3. Leemans, I. <i>et al.</i> (2001) Comparative studies on surface phenotypes of Theileria lestoquardi and T. annulata schizont-infected cells. Parasitol Res. 87: 768-77. 4. Sedgmen, B.J. <i>et al.</i> (2002) Cellular and molecular characterisation of the ovine rectal mucosal environment. Vet Immunol Immunopathol. 86: 215-20. 5. Debes, G.F. <i>et al.</i> (2005) Chemokine receptor CCR7 required for T lymphocyte exit from peripheral tissues. Nat Immunol. 6: 889-94. 6. Boppana, D.K. <i>et al.</i> (2005) Cellular infiltration at skin lesions and draining lymph nodes of sheep infested with adult <i>Hyalomma anatolicum anatolicum</i> ticks. Parasitology. 131: 657-67. 7. Tanaka, Y. <i>et al.</i> (2008) Sustained macroscopic engraftment of cynomolgus embryonic stem cells in xenogeneic large animals after in utero transplantation. Stem Cells Dev. 17: 367-81. 8. Olivier, M. <i>et al.</i> (2012) Capacities of Migrating CD1b Lymph Dendritic Cells to Present Salmonella Antigens to Naive T Cells. PLoS One. 7: e30430. 9. Lacroux, C. <i>et al.</i> (2012) Prionemia and leukocyte-platelet-associated infectivity in sheep transmissible spongiform encephalopathy models. J Virol. 86 (4): 2056-66. 10. Flameng, W. <i>et al.</i> (2014) Coating with fibronectin and stromal cell-derived factor-1α of decellularized homografts used for right ventricular outflow tract reconstruction eliminates immune response-related degeneration. J Thorac Cardiovasc Surg. 147 (4): 1398-404.e2.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight@488 , DyLight@550 , DyLight@650 , DyLight@680 , DyLight@800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M405462:220916'

Printed on 16 Sep 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)