

Datasheet: MCA2222F

Description:	MOUSE ANTI SHEEP WC1:FITC		
Specificity:	WC1		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	19.19		
Isotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Sheep			
Species Cross	Reacts with: Bovine,	Goat		
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated fo further information.			
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nn	1)
	FITC	490	525	
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant			

Preservative Stabilisers	0.09% sodium azide (NaN $_3$) 1% bovine serum albumin			
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml			
Immunogen	Ovine thymocytes.			
External Database Links	UniProt: Q9BDF1 Related reagents			
RRID	AB_324145			
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS-1 myeloma cell line.			
Specificity	Mouse anti Sheep WC1 antibody, clone 19.19 recognizes the ovine WC1 cell surface antigen, a ~215 kDa glycoprotein, expressed by a population of gamma/delta T lymphocytes (Wijngaard et al.1992).			
Flow Cytometry	Use 10µl of the suggested working dilution to label 1 x 10 ⁶ cells in 100µl			
References	 Mackay, C.R. <i>et al.</i> (1986) Three distinct subpopulations of sheep T lymphocytes. <u>Eur J Immunol. 16 (1): 19-25.</u> Mackay, C.R. <i>et al.</i> (1987) A monoclonal antibody to the p220 component of sheep LCA identifies B cells and a unique lymphocyte subset. <u>Cell Immunol. 110 (1): 46-55.</u> La Manna, M.P. <i>et al.</i> (2011) Expansion of intracellular IFN-γ positive lymphocytes during <i>Mycoplasma agalactiae</i> infection in sheep. <u>Res Vet Sci. 91 (3): e64-7.</u> 			
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.			
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2222F 10041			
Regulatory	For research purposes only			

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M429717:240416'

Printed on 16 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint