

Datasheet: MCA2242GA

BATCH NUMBER 154556

Description:	MOUSE ANTI HUMAN CD305
Specificity:	CD305
Other names:	LAIR-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	NKTA255
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	NK cell lines B12.100 and AM.25
External Database Links	<p>UniProt: Q6GTX8 Related reagents</p> <p>Entrez Gene: 3903 LAIR1 Related reagents</p>
Synonyms	CD305
RRID	AB_324139
Fusion Partners	Spleen cells from immunised mice were fused with cells of the P3U1 myeloma cell line
Specificity	<p>Mouse anti Human CD305 antibody, clone NKTA255 recognizes human leukocyte-associated Ig-like receptor-1 (LAIR-1), a ~40 kDa cell surface molecule that functions as an inhibitory receptor on natural killer cells, monocytes and T cells. LAIR-1, otherwise known as CD305, is also expressed by other hematopoietic cells including B cells, but is not expressed by non-haematopoietic, platelets or erythrocytes.</p> <p>Mouse anti Human CD305 antibody, clone NKTA255 is reported to inhibit NK cell triggering via CD16 molecules (Poggi <i>et al.</i> 1995).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
Western Blotting	MCA2242GA detects a band of approximately 40 kDa (1).
References	<ol style="list-style-type: none"> 1. Poggi, A. <i>et al.</i> (2000) Engagement of the leukocyte-associated Ig-like receptor-1 induces programmed cell death and prevents NF-kappaB nuclear translocation in human myeloid leukemias. Eur J Immunol. 30 (10): 2751-8. 2. Zocchi, M.R. <i>et al.</i> (2001) Leukocyte-associated Ig-like receptor-1 prevents granulocyte-monocyte colony stimulating factor-dependent proliferation and Akt1/PKB alpha activation in primary acute myeloid leukemia cells. Eur J Immunol. 31 (12): 3667-75. 3. Poggi, A. <i>et al.</i> (1997) p40 molecule regulates NK cell activation mediated by NK receptors for HLA class I antigens and TCR-mediated triggering of T lymphocytes. Int Immunol. 9 (9): 1271-9. 4. Poggi, A. <i>et al.</i> (2008) Lack of the leukocyte-associated Ig-like receptor-1 expression in high-risk chronic lymphocytic leukaemia results in the absence of a negative signal regulating kinase activation and cell division. Leukemia. 22 (5): 980-8.
Further Reading	1. Meyaard, L. (2008) The inhibitory collagen receptor LAIR-1 (CD305). J Leukoc Biol. 83 (4): 799-803.

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA2242GA>
10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (STAR77...) [HRP](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M366421:200529'

Printed on 18 Jan 2024