

Datasheet: MCA2244EL

BATCH NUMBER 156286

Description:	RAT ANTI MOUSE LYMPHOTOXIN BETA RECEPTOR: Low Endotoxin		
Specificity:	LYMPHOTOXIN BETA RECEPTOR		
Format:	Low Endotoxin		
Product Type:	Monoclonal Antibody		
Clone:	5G11b		
Isotype:	lgG2a		
Quantity:	0.5 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	•			1/50 - 1/100
	Immunohistology - Frozen			•	
	Immunohistology - Paraffin			•	
	ELISA			•	
	Immunoprecipitation			•	
	Western Blotting			•	
	Functional Assays	-			
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.				
Target Species	Mouse				
Product Form	Purified IgG - liquid				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant				
Buffer Solution	Phosphate buffered salin	e			
Preservative Stabilisers	None present				

Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Recombinant extracellular domain of LT beta R.	
External Database Links	UniProt: <u>P50284</u> <u>Related reagents</u>	
	Entrez Gene: <u>17000</u> Ltbr <u>Related reagents</u>	
Synonyms	Tnfcr, Tnfrsf3	
RRID	AB_566585	
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the SP2/0 - Ag14 mous myeloma cell line.	е
Specificity	Rat anti Mouse Lymphotoxin beta Receptor antibody, clone 5G11b recognizes murin Tumor necrosis factor receptor superfamily member 3, also known as lymphotoxin-beta receptor, LT beta R, or Tumor necrosis factor receptor superfamily member 3. Lymphotoxin beta receptor is 385 amino acid (415 aa including 30 aa signal peptide) ~50 kDa type 1, single pass transmembrane glycoprotein and member of the tumor necrosis factor family. LT beta R is primarily expressed on stromal cells and fibroblasts and at low levels on myeloid cell lines. Rat anti Mouse Lymphotoxin beta Receptor antibody, clone 5G11b recognizes surface expressed LT beta R. Rat anti Mouse Lymphotoxin beta Receptor antibody, clone 5G11b is reported to be agonistic with respect to NF Kappa B activation, MIP-2 induction and IL-6 release (Hehlgans <i>et al.</i> 2003). Rat anti Mouse Lymphotoxin beta Receptor antibody, clone 5G11b is routinely tested on WEH164S cells.)
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.	
References	 Palumbo, M.O. <i>et al.</i> (2006) Isolation and characterization of proinsulin-producing medullary thymic epithelial cell clones. <u>Diabetes. 55: 2595-601.</u> Moore, F. <i>et al.</i> (2007) An alternative pathway of NF-kappaB activation results in maturation and T cell priming activity of dendritic cells overexpressing a mutated IkappaBalpha. <u>J Immunol. 178: 1301-11.</u> Magari, M. <i>et al.</i> (2011) IL-21-Dependent B Cell Death Driven by Prostaglandin E2, a Product Secreted from Follicular Dendritic Cells. <u>J Immunol. 187: 4210-8.</u> Into, T. <i>et al.</i> (2018) MyD88 signaling causes autoimmune sialadenitis through formatic of high endothelial venules and upregulation of LTββ receptor-mediated signaling. <u>Sci</u> 	วท

	<u>Rep. 8 (1): 14272.</u>	
Further Reading	1. Muller, P. <i>et al.</i> (2001) Functional characterization of the mour receptor promoter. <u>Eur Cytokine Netw. 12 (2): 325-30.</u>	use lymphotoxin-beta
Storage	Store at -20°C only.	
	This product should be stored undiluted.	
	Storage in frost-free freezers is not recommended. Avoid repear as this may denature the antibody. Should this product contain recommend microcentrifugation before use.	• •
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/MCA2244EL 10162	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16)	DyLight®800			
Rabbit Anti Rat IgG (STAR17)	<u>FITC</u>			
Goat Anti Rat IgG (STAR72)	HRP			
Goat Anti Rat IgG (STAR69)	<u>FITC</u>			
Goat Anti Rat IgG (STAR73)	RPE			
Rabbit Anti Rat IgG (STAR21)	HRP			
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71) <u>DyLight®550, DyLight®650, DyLight®800</u>				
Goat Anti Rat IgG (STAR131)	<u>Alk. Phos., Biotin</u>			
Recommended Negative Controls				

RAT IgG2a NEGATIVE CONTROL:Low Endotoxin (MCA1212EL)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366431:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint