

Datasheet: MCA2254

BATCH NUMBER 1710

Description:	MOUSE ANTI HUMAN CD94
Specificity:	CD94
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	DX22
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Natural killer cell line.
External Database Links	<p>UniProt: Q13241 Related reagents</p> <p>Entrez Gene: 3824 KLRD1 Related reagents</p>
Synonyms	CD94
RRID	AB_321360
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the SP2/0 myeloma cell line.
Specificity	<p>Mouse anti Human CD94 antibody, clone DX22 recognizes human Natural killer cells antigen CD94, also known as KLRD1, Killer cell lectin-like receptor, subfamily D, member 1, CD94, KP43 and NK cell receptor. CD94 is a 179 amino acid single pass type II transmembrane glycoprotein with a predicted molecular mass of ~20.5 kDa. There are 3 isoforms of CD94 derived by alternative splicing.</p> <p>CD94 is expressed on natural killer (NK) cells and a subset of T lymphocytes.</p> <p>CD94 is found to associate with NKG2 to form a heterodimer, involved in the inhibition of cell mediated cytotoxicity against cells bearing appropriate MHC class I allotypes.</p> <p>Mouse anti Human CD94 antibody, clone DX22 is reported to inhibit the binding of CD94 to HLA-E (Braud <i>et al.</i> 1998) and HLA-G (Söderström. <i>et al.</i> 1997).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1 x 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> Phillips, J.H. <i>et al.</i> (1996) CD94 and a novel associated protein (94AP) form a NK cell receptor involved in the recognition of HLA-A, HLA-B, and HLA-C allotypes. Immunity. 5 (2): 163-72. Braud, V.M. <i>et al.</i> (1998) HLA-E binds to natural killer cell receptors CD94/NKG2A, B and C. Nature. 391 (6669): 795-9. Tomasec, P. <i>et al.</i> (2000) Surface expression of HLA-E, an inhibitor of natural killer cells, enhanced by human cytomegalovirus gpUL40. Science. 287 (5455): 1031. Söderström K <i>et al.</i> (1997) CD94/NKG2 is the predominant inhibitory receptor involved in recognition of HLA-G by decidual and peripheral blood NK cells. J Immunol. 159 (3): 1072-5. Hassold, N. <i>et al.</i> (2012) Enhancement of natural killer cell effector functions against selected lymphoma and leukemia cell lines by dasatinib. Int J Cancer. 131 (6): E916-27. Rongvaux, A. <i>et al.</i> (2014) Development and function of human innate immune cells in

a humanized mouse model. [Nat Biotechnol. 32 \(4\): 364-72.](#)

Storage	Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2254 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M366452:200529'

Printed on 19 Jan 2024