

## Datasheet: MCA2261PE BATCH NUMBER 161209

Description:	MOUSE ANTI PIG SLA CLASS I:RPE
Specificity:	SLA CLASS I
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	JM1E3
Isotype:	lgG1
Quantity:	100 TESTS

### **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-			Neat - 1/10			
	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.							
Target Species	Pig							
Species Cross Reactivity	Reacts with: Human <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized							
Reconstitution	Reconstitute with 1 ml distilled water							
Max Ex/Em	Fluorophore	Excitation Max	x (nm) E	mission Max (nm)				
	RPE 488nm laser	496		578				
	RPE 561nm laser	546		578				
Preparation	Purified IgG prepared	by affinity chro	matograp	ohy on Protein A fror	m tissue culture			

	supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN <sub>3</sub> ) 1% bovine serum albumin 5% sucrose
Immunogen	Porcine peripheral blood mononuclear cells.
External Database Links	UniProt: <u>019244</u> <u>Related reagents</u>
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 - Ag14 myeloma cell line.
Specificity	Mouse anti Pig SLA Class I antibody, clone JM1E3 recognizes a monomorphic epitope expressed by porcine MHC class I molecules (SLA - 1).
	SLA - 1 is expressed by all nucleated porcine cells, but not on erythrocytes. This antibody has also been shown to cross-react with human MHC Class I, including HLA-E. ( <u>Galiani et al. 2002</u> )
	The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In pigs, this is referred to as the swine leukocyte antigen (SLA) region. Mouse anti pig SLA class I, clone JM1E3 has been reported to block the interaction of MHC Class I antigens with inhibitory NK cell receptors ( <u>Galiani <i>et al.</i> 2002</u> ).
Flow Cytometry	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul
References	<ol> <li>Galiani, D. <i>et al.</i> (2002) A new monoclonal antibody (JM1E3) specific for porcine SLA Class I antigen recognises HLA Class I antigens and interferes with HLA recognition by human NK inhibitory receptors. In Leucocyte Typing VII. Edited by Mason. D. <i>et al.</i>. Oxford University Press pp 437-39.</li> <li>Park, J.Y. <i>et al.</i> (2008) Characterization of interaction between porcine reproductive and respiratory syndrome virus and porcine dendritic cells. J Microbiol Biotechnol. 18: <u>1709-16.</u></li> <li>Jeong, H.J. <i>et al.</i> (2010) Comparative measurement of cell-mediated immune responses of swine to the M and N proteins of porcine reproductive and respiratory syndrome virus. <u>Clin Vaccine Immunol. 17: 503-12.</u></li> <li>Ding, G. <i>et al.</i> (2010) Suppression of T cell proliferation by root apical papilla stem cells in vitro. <u>Cells Tissues Organs. 191: 357-64.</u></li> <li>Hurtado, C. <i>et al.</i> (2011) The African swine fever virus lectin EP153R modulates the surface membrane expression of MHC class I antigens. <u>Arch Virol. 156: 219-34.</u></li> <li>Van Parys, A. <i>et al.</i> (2012) Salmonella Typhimurium induces SPI-1 and SPI-2 regulated and strain dependent downregulation of MHC II expression on porcine alveolar</li> </ol>

	macrophages. <u>Vet Res. 43: 52.</u>					
	7. Löndt, B.Z. et al. (2013) Enhanced infectivity of H5N1 highly pathogenic avian influenza					
	(HPAI) virus in pig ex vivo respiratory tract organ cultures following adaptation by in vitro					
	passage. <u>Virus Res. 178(2):383-91.</u>					
	8. Park, K.M. et al. (2013) Generation of porcine induced pluripotent stem cells and					
	evaluation of their major histocompatibility complex protein expression in vitro. Vet Res					
	<u>Commun. 37 (4): 293-301.</u>					
	9. Suarez-Pinzon, W. <i>et al.</i> (2015) A Novel Protocol for Culturing Adult Porcine Islets for Transplantation in Type 1 Diabetic Patients <u>Minn Acad Sci J Student Res.3: 1-11</u> .					
	10. Blázquez, R. <i>et al.</i> (2015) Intrapericardial administration of mesenchymal stem cells in a large animal model: a bio-distribution analysis. <u>PLoS One. 10 (3): e0122377.</u>					
	11. Richmond, O. et al. (2015) PD-L1 expression is increased in monocyte derived					
	dendritic cells in response to porcine circovirus type 2 and porcine reproductive and					
	respiratory syndrome virus infections. Vet Immunol Immunopathol. 168 (1-2): 24-9.					
	12. Iwase H <i>et al.</i> (2015) Initial <i>in vivo</i> experience of pig artery patch transplantation in					
	baboons using mutant MHC (CIITA-DN) pigs. <u>Transpl Immunol. 32 (2): 99-108.</u>					
	13. Rayat, G.R. <i>et al.</i> (2016) First update of the International Xenotransplantation					
	Association consensus statement on conditions for undertaking clinical trials of porcine					
	islet products in type 1 diabetes - Chapter 3: Porcine islet product manufacturing and					
	release testing criteria. Xenotransplantation. 23 (1): 38-45.					
	14. Le, T.M. <i>et al.</i> (2017) β2-microglobulin gene duplication in cetartiodactyla remains					
	intact only in pigs and possibly confers selective advantage to the species. PLoS One. 12					
	(8): e0182322.					
	15. Linard, C. <i>et al.</i> (2018) Autologous Bone Marrow Mesenchymal Stem Cells Improve					
	the Quality and Stability of Vascularized Flap Surgery of Irradiated Skin in Pigs. <u>Stem</u>					
	Cells Transl Med. 7 (8): 569-582.					
	16. Arenal, Á. <i>et al.</i> (2022) Effects of Cardiac Stem Cell on Postinfarction Arrhythmogenic					
	Substrate. Int J Mol Sci. 23 (24): 16211.					
Further Reading	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. <u>Vet Res. 39: 54.</u>					
Storage	Prior to reconstitution store at +4°C.					
	After reconstitution store at +4°C.					
	DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive					
	and should be protected from light. Should this product contain a precipitate we					
	recommend microcentrifugation before use.					
Guarantee	12 months from date of despatch					
Health And Safety	Material Safety Datasheet documentation #20487 available at:					
Information	https://www.bio-rad-antibodies.com/SDS/MCA2261PE					
	20487					
Regulatory						
	For research purposes only					

# **Related Products**

#### MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M414399:221206'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint