

Datasheet: MCA2261PE

Description:	MOUSE ANTI PIG SLA CLASS I:RPE
Specificity:	SLA CLASS I
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	JM1E3
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig					
Species Cross	Reacts with: Human	n				
Reactivity	reactivity is derived	tivity and working conditi from testing within our le cations from the originate	aboratories, peer-rev	viewed publication		
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - Iyophilized					
Reconstitution	Reconstitute with 1 ml distilled water					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	RPE 488nm laser	496	578			
	RPE 561nm laser	546	578			

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN ₃) 1% bovine serum albumin 5% sucrose
Immunogen	Porcine peripheral blood mononuclear cells.
External Database Links	UniProt: O19244 Related reagents
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 - Ag14 myeloma cell line.
Specificity	Mouse anti Pig SLA Class I antibody, clone JM1E3 recognizes a monomorphic epitope expressed by porcine MHC class I molecules (SLA - 1).
	SLA - 1 is expressed by all nucleated porcine cells, but not on erythrocytes. This antibody has also been shown to cross-react with human MHC Class I, including HLA-E. (Galiani et al. 2002)
	The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In pigs, this is referred to as the swine leukocyte antigen (SLA) region. Mouse anti pig SLA class I, clone JM1E3 has been reported to block the interaction of
	MHC Class I antigens with inhibitory NK cell receptors (<u>Galiani et al. 2002</u>).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	 Galiani, D. <i>et al.</i> (2002) A new monoclonal antibody (JM1E3) specific for porcine SLA Class I antigen recognises HLA Class I antigens and interferes with HLA recognition by human NK inhibitory receptors. In Leucocyte Typing VII. Edited by Mason. D. <i>et al.</i>. Oxford University Press pp 437-39. Park, J.Y. <i>et al.</i> (2008) Characterization of interaction between porcine reproductive and respiratory syndrome virus and porcine dendritic cells. J Microbiol Biotechnol. 18: 1709-16. Jeong, H.J. <i>et al.</i> (2010) Comparative measurement of cell-mediated immune responses of swine to the M and N proteins of porcine reproductive and respiratory syndrome virus. Clin Vaccine Immunol. 17: 503-12. Ding, G. <i>et al.</i> (2010) Suppression of T cell proliferation by root apical papilla stem cells in vitro. Cells Tissues Organs. 191: 357-64. Hurtado, C. <i>et al.</i> (2011) The African swine fever virus lectin EP153R modulates the
	surface membrane expression of MHC class I antigens. <u>Arch Virol. 156: 219-34.</u>

macrophages. Vet Res. 43: 52.

6. Van Parys, A. et al. (2012) Salmonella Typhimurium induces SPI-1 and SPI-2 regulated

7. Löndt, B.Z. et al. (2013) Enhanced infectivity of H5N1 highly pathogenic avian influenza

and strain dependent downregulation of MHC II expression on porcine alveolar

(HPAI) virus in pig *ex vivo* respiratory tract organ cultures following adaptation by *in vitro* passage. Virus Res. 178(2):383-91.

- 8. Park, K.M. *et al.* (2013) Generation of porcine induced pluripotent stem cells and evaluation of their major histocompatibility complex protein expression *in vitro*. <u>Vet Res</u> Commun. 37 (4): 293-301.
- 9. Suarez-Pinzon, W. *et al.* (2015) A Novel Protocol for Culturing Adult Porcine Islets for Transplantation in Type 1 Diabetic Patients Minn Acad Sci J Student Res.3: 1-11.
- 10. Blázquez, R. *et al.* (2015) Intrapericardial administration of mesenchymal stem cells in a large animal model: a bio-distribution analysis. <u>PLoS One. 10 (3): e0122377.</u>
- 11. Richmond, O. *et al.* (2015) PD-L1 expression is increased in monocyte derived dendritic cells in response to porcine circovirus type 2 and porcine reproductive and respiratory syndrome virus infections. <u>Vet Immunol Immunopathol</u>. 168 (1-2): 24-9.
- 12. Iwase H *et al.* (2015) Initial *in vivo* experience of pig artery patch transplantation in baboons using mutant MHC (CIITA-DN) pigs. Transpl Immunol. 32 (2): 99-108.
- 13. Rayat, G.R. *et al.* (2016) First update of the International Xenotransplantation Association consensus statement on conditions for undertaking clinical trials of porcine islet products in type 1 diabetes Chapter 3: Porcine islet product manufacturing and release testing criteria. Xenotransplantation. 23 (1): 38-45.
- 14. Le, T.M. *et al.* (2017) β2-microglobulin gene duplication in cetartiodactyla remains intact only in pigs and possibly confers selective advantage to the species. <u>PLoS One. 12</u> (8): e0182322.
- 15. Linard, C. *et al.* (2018) Autologous Bone Marrow Mesenchymal Stem Cells Improve the Quality and Stability of Vascularized Flap Surgery of Irradiated Skin in Pigs. <u>Stem Cells Transl Med.</u> 7 (8): 569-582.
- 16. Arenal, Á. *et al.* (2022) Effects of Cardiac Stem Cell on Postinfarction Arrhythmogenic Substrate. <u>Int J Mol Sci. 23 (24): 16211.</u>

Further Reading

1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. Vet Res. 39: 54.

Storage

Prior to reconstitution store at +4°C.

After reconstitution store at +4°C.

DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #20487 available at:

https://www.bio-rad-antibodies.com/SDS/MCA2261PE

20487

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 America

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.comd a Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M419761:230616'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint