

Datasheet: MCA2263GA

**BATCH NUMBER 154535**

<b>Description:</b>	MOUSE ANTI PIG CD61
<b>Specificity:</b>	CD61
<b>Other names:</b>	INTEGRIN BETA 3 CHAIN
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	JM2E5
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/100
Immunohistology - Frozen	▪			
Immunohistology - Paraffin (1)	▪			
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

**(1) This product requires antigen retrieval using heat treatment methods prior to staining of paraffin sections. Sodium citrate buffer pH6.0 is recommended for this purpose.**

<b>Target Species</b>	Pig
<b>Species Cross Reactivity</b>	<p>Reacts with: Dog, Human, Bovine, Horse</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>

<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Porcine peripheral blood mononuclear cells.
<b>External Database Links</b>	<b>UniProt:</b> <a href="#">Q95JH1</a> <a href="#">Related reagents</a>
<b>RRID</b>	AB_11152935
<b>Fusion Partners</b>	Spleen cells from immunised Balb/c mice were fused with cells of the mouse SP2/0 - Ag14 myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Pig CD61 antibody, clone JM2E5</b> recognizes the porcine CD61 cell surface antigen, also known as platelet glycoprotein IIIa or integrin beta.</p> <p>CD61 is present on the megakaryocyte/platelet lineage, granulocytes, cells from the monocyte/macrophage lineage and endothelial cells (<a href="#">Moreno <i>et al.</i> 2002</a>). CD61 is also broadly expressed on tissues, such as epithelial cells from tubules in the kidney (<a href="#">Pirou-Guzylack <i>et al.</i>, 2008</a>), spleen, intestinal mucosa and Leydig cells in testis (<a href="#">Moreno <i>et al.</i> 2002</a>).</p> <p>The epitope recognized by this antibody is not sensitive to EDTA.</p> <p>Mouse anti Pig CD61 antibody, clone JM2E5 detects a band of approximately 85 kDa in porcine platelet lysates by western blotting.</p>
<b>Flow Cytometry</b>	Use 10 ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
<b>References</b>	<ol style="list-style-type: none"> <li>1. Pérez de la Lastra, J.M. <i>et al.</i> (1997) Characterization of the porcine homologue to human platelet glycoprotein IIb-IIIa (CD41/CD61) by a monoclonal antibody. <a href="#">Tissue Antigens. 49 (6): 588-94.</a></li> <li>2. Arce, C <i>et al.</i> (2001) Expression of CD61 (beta 3 integrin subunit) on canine cells. <a href="#">Platelets 12:69-73.</a></li> <li>3. Moreno, A. <i>et al.</i> (2002) Immunohistochemical analysis of beta3 integrin (CD61): expression in pig tissues and human tumors. <a href="#">Histol Histopathol. 17 (2): 347-52.</a></li> </ol>

4. Zhang, J.L. *et al.* (2007) Up-regulated expression of beta3 integrin induced by dengue virus serotype 2 infection associated with virus entry into human dermal microvascular endothelial cells. [Biochem Biophys Res Commun. 356: 763-8.](#)
5. Campos, E. *et al.* (2004) *In vitro* effect of classical swine fever virus on a porcine aortic endothelial cell line. [Vet Res. 35: 625-33.](#)
6. Sobotta, K. *et al.* (2017) Permissiveness of bovine epithelial cells from lung, intestine, placenta and udder for infection with Coxiella burnetii. [Vet Res. 48 \(1\): 23.](#)

---

<b>Further Reading</b>	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. <a href="#">Vet Res. 39: 54.</a>
------------------------	--

---

<b>Storage</b>	Store at +4°C or at -20°C if preferred.
----------------	---

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

<b>Guarantee</b>	12 months from date of despatch
------------------	---------------------------------

---

<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2263GA">https://www.bio-rad-antibodies.com/SDS/MCA2263GA</a> 10040
--------------------------------------	---

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®550</a> , <a href="#">DyLight®650</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

**North & South America** Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M366486:200529'

**Printed on 28 May 2025**

---

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)