

Datasheet: MCA2274GA

BATCH NUMBER 1706

Description:	RAT ANTI MOUSE CD150
Specificity:	CD150
Other names:	SLAM
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	9D1
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	CHO cells stably transfected with mouse CD150
External Database Links	<p>UniProt: Q9QUM4 Related reagents</p> <p>Entrez Gene: 27218 Slamf1 Related reagents</p>
Synonyms	Slam
RRID	AB_324921
Fusion Partners	Spleen cells from immunised rats were fused with cells of a myeloma cell line.
Specificity	<p>Rat anti Mouse CD150 antibody, clone 9D1 recognizes murine CD150, also known as signaling lymphocyte activation molecule (SLAM) . Murine CD150 is a 75 kDa cell surface glycoprotein that is expressed on T-cells and B-cells, and is upregulated on activated T-cells and stimulated macrophages. The extracellular domain of CD150 is the receptor for the measles virus (Erlenhoefer et al. 2001) and acts as a co-activator on T-cells and B-cells.</p> <p>Rat anti Mouse CD150 antibody, clone 9D1 has functional activity (Howie et al. 2002).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul
References	<ol style="list-style-type: none"> Howie, D. <i>et al.</i> (2002) The role of SAP in murine CD150 (SLAM)-mediated T-cell proliferation and interferon gamma production. Blood. 100 (8): 2899-907. Desponts, C. <i>et al.</i> (2006) SHIP deficiency enhances HSC proliferation and survival but compromises homing and repopulation. Blood. 107: 4338-45. Almolda, B. <i>et al.</i> (2015) Alterations in microglial phenotype and hippocampal neuronal function in transgenic mice with astrocyte-targeted production of interleukin-10. Brain Behav Immun. 45: 80-97. Villacampa, N. <i>et al.</i> (2015) Astrocyte-targeted production of IL-10 induces changes in microglial reactivity and reduces motor neuron death after facial nerve axotomy. Glia. 63 (7): 1166-84.
Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2274GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR72...)	HRP
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight@550 , DyLight@650 , DyLight@800
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight@800
Goat Anti Rat IgG (STAR131...)	Alk. Phos. , Biotin

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M366508:200529'

Printed on 25 Mar 2023