Datasheet: MCA2283 BATCH NUMBER 1709

Description:	RAT ANTI MOUSE CD147
Specificity:	CD147
Other names:	NEUROTHELIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	OX114
Isotype:	lgG1
Quantity:	0.25 mg

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	-			1/25 - 1/50		
	Immunohistology - Frozen	-					
	Immunohistology - Paraffin			•			
	ELISA			•			
	Immunoprecipitation			•			
	Western Blotting	-					
	necessarily exclude its us a guide only. It is recomm	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.					
Target Species	Mouse						
Product Form	Purified IgG - liquid						

Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture
	supernatant

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide

Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Fusion protein mCD147dO-2rCD4d3 +4		
External Database Links	UniProt: <u>P18572</u> <u>Related reagents</u> Entrez Gene: <u>12215</u> Bsg <u>Related reagents</u>		
RRID	AB_566521		
Specificity	Rat anti Mouse CD147 antibody, clone OX114 recognizes mouse CD147 (also known as basigin). CD147 is a cell surface glycoprotein that is widely expressed on leukocytes, red cells, platelets and endothelial cells. The reported functions of CD147 are diverse and include involvement in T-cell activation, cell adhesion and induction of matrix metalloproteinases.		
	Rat anti Mouse CD147 antibody, clone OX114 recognizes both isoforms of CD147, the common form containing 2 Ig-like domains and the rare form containing 3 Ig-like domains.		
	Rat anti Mouse CD147 antibody, clone OX114 is routinely tested in flow cytometry on mouse splenocytes. Note that for staining of whole blood samples increased amounts of antibody may be required due to the presence of CD147 on erythrocytes.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul		
References	 Hanna, S.M. <i>et al.</i> (2003) A novel form of the membrane protein CD147 that contains an extra Ig-like domain and interacts homophilically. <u>BMC Biochemistry 4:17.</u> Agrawal, S.M. <i>et al.</i> (2011) A Novel Regulator of Leukocyte Transmigration into the CNS in Multiple Sclerosis and Experimental Autoimmune Encephalomyelitis. <u>J Neurosci.</u> <u>31: 669-77.</u> Sweigard, J.H. <i>et al.</i> (2011) Adenovirus-mediated delivery of CD46 attenuates the alternative complement pathway on RPE: implications for age-related macular degeneration. <u>Gene Ther. 18 (6): 613-21.</u> Kaushik, D.K. <i>et al.</i> (2019) Enhanced glycolytic metabolism supports transmigration of brain-infiltrating macrophages in multiple sclerosis. <u>J Clin Invest. 129 (8): 3277-92.</u> 		
Storage	Store at +4°C or at -20°C if preferred.		
	This product should be stored undiluted.		
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we		

	recommend microcentrifugation before use.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2283 10040			
Regulatory	For research purposes only			

where a stand we have a second with a second have to be a factor of the second se

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16)			DyLight®800	DyLight®800			
Rabbit Anti Rat IgG (STAR17)		<u>FITC</u>	<u>FITC</u>				
Goat Anti Rat IgG (STAR72)			HRP	HRP			
Goat Anti Rat IgG (STAR69)			<u>FITC</u>	FITC			
Goat Anti Rat IgG (STAR73) RPE							
Rabbit Anti Rat IgG (STAR21) HRP							
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71) <u>DyLight®550</u> , <u>DyLight®650</u> , <u>DyLight®800</u>							
Goat Anti Rat IgG (STAR131) <u>Alk. Phos., Biotin</u>							
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21		
		Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-r	ad.com	Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com			

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366538:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint