

Datasheet: MCA2287

Description:	RAT ANTI MOUSE NKG2A/C/E
Specificity:	NKG2A/C/E
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	20d5
Isotype:	IgG2a
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/100
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	CHO transfected cells expressing the B6 allele of NKG2A.
RRID	AB_567170
Fusion Partners	Spleen cells from immunised Lewis rats were fused with cells of the mouse P3X63-Ag8.653 myeloma cell line.
Specificity	<p>Rat anti Mouse NKG2A/C/E antibody, clone 20d5 recognizes murine NKG2A, NKG2C and NKG2E, which are isoforms of the NKG2 lectin-like family. In mice, NKG2 subunits associate with CD94 to form heterodimers at the surface of natural killer (NK) cells. The CD94/NKG2 heterodimer is the receptor for a non-classical MHC class I ligand, which is Qa-1 in the mouse (Colmenero et al. 2007).</p> <p>Rat anti Mouse NKG2A/C/E, clone 20d5 is reported to block ligand binding to the receptor (Vance et al. 1999)</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> Vance, R.E. <i>et al.</i> (1999) Recognition of the class Ib molecule Qa-1(b) by putative activating receptors CD94/NKG2C and CD94/NKG2E on mouse natural killer cells. J Exp Med. 190 (12): 1801-12. Vance, R.E. <i>et al.</i> (2002) Implications of CD94 deficiency and monoallelic NKG2A expression for natural killer cell development and repertoire formation. Proc Natl Acad Sci U S A. 99 (2): 868-73. Kawamura, H. <i>et al.</i> (2005) Amelioration of acute graft-versus-host disease by NKG2A engagement on donor T cells. Eur J Immunol. 35 (8): 2358-66. Yin, Y. <i>et al.</i> (2013) Phosphatidylserine-targeting antibody induces M1 macrophage polarization and promotes myeloid-derived suppressor cell differentiation. Cancer Immunol Res. 1 (4): 256-68. Colmenero, P. <i>et al.</i> (2007) Qa-1(b)-dependent modulation of dendritic cell and NK cell cross-talk in vivo. J Immunol. 179: 4608-15.
Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR131...)	Alk. Phos., Biotin
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight@800
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight@800
Goat Anti Rat IgG (STAR72...)	HRP

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL \(MCA1212\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

From March 15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M374504:201110'

Printed on 09 Feb 2021