

Datasheet: MCA2290A647

Description:	MOUSE ANTI HUMAN CD102:Alexa Fluor® 647
Specificity:	CD102
Other names:	ICAM-2
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	CBRIC2/2
Isotype:	IgG2a
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human		
Product Form	Purified IgG conjugated to Alexa Fluor® 647- liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% sodium azide (NaN ₃)		
Stabilisers	1% bovine serum albumin		
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml		

Immunogen Transfected COS cells expressing ICAM-2 cDNA.

External Database

Links

UniProt:

[P13598](#) [Related reagents](#)

Entrez Gene:

[3384](#) ICAM2 [Related reagents](#)

RRID

AB_566411

Fusion Partners

Cells from immunized BALB/c mice were fused with cells of the Murine P3X63Ag.653 myeloma cell line.

Specificity

Mouse anti Human CD102 antibody, clone CBRIC2/2 recognizes human CD102, also known as intercellular adhesion molecule-2 (ICAM-2). CD102 is a glycosylated cell surface protein that is broadly expressed on most leucocytes and is strongly expressed by endothelial cells. CD102 interacts with the CD11a/CD18 (LFA-1). CD102 may play a role in lymphocyte re-circulation and T-cell activation ([Yamashita *et al.* 2008](#)).

Mouse anti Human CD102 antibody, clone CBRIC2/2 is reported to inhibit interactions between CD102 and LFA-1 ([De Fougerolles *et al.* 1991](#)).

Flow Cytometry

Use 10µl of the suggested working dilution to label 10⁶ cells in 100µl

References

1. Xu, H. *et al.* (1996) Characterization of murine intercellular adhesion molecule-2. [J Immunol. 156 \(12\): 4909-14.](#)
 2. Diacovo, T.G. *et al.* (1994) A functional integrin ligand on the surface of platelets: intercellular adhesion molecule-2. [J Clin Invest. 94 \(3\): 1243-51.](#)
 3. Porter, J.C. & Hall, A. (2009) Epithelial ICAM-1 and ICAM-2 regulate the egression of human T cells across the bronchial epithelium. [FASEB J. 23 \(2\): 492-502.](#)
 4. Banerjee, P. *et al.* (2007) Human T-cell leukemia virus type 1 (HTLV-1) p12I down-modulates ICAM-1 and -2 and reduces adherence of natural killer cells, thereby protecting HTLV-1-infected primary CD4+ T cells from autologous natural killer cell-mediated cytotoxicity despite the reduction of major histocompatibility complex class I molecules on infected cells. [J Virol. 81: 9707-17.](#)
 5. Arjmandi A *et al.* (2009) Dendritic cell adhesion to cerebral endothelium: role of endothelial cell adhesion molecules and their ligands. [J Neuropathol Exp Neurol. 68 \(3\): 300-13.](#)
-

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee 12 months from date of despatch

Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2290A647>
10041

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA929A647\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M414115:221130'

Printed on 21 Sep 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)