

Datasheet: MCA2302A488

Description:	RAT ANTI MOUSE CD70:Alexa Fluor® 488
Specificity:	CD70
Other names:	TNFSF7
Format:	ALEXA FLUOR® 488
Product Type:	Monoclonal Antibody
Clone:	FR70
Isotype:	IgG2b
Quantity:	100 TESTS/1ml

Product Details

RRID AB_566878

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

Target Species Mouse

Product Form Purified IgG conjugated to Alexa Fluor® 488 - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®488	495	519

Preparation Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution Phosphate buffered saline

Preservative 0.09% Sodium Azide
Stabilisers 1% Bovine Serum Albumin

Approx. Protein Concentrations IgG concentration 0.05 mg/ml

Immunogen A20 mouse B cell lymphoma cell line

External Database Links **UniProt:**

Entrez Gene:

[21948](#) Cd70 [Related reagents](#)

Synonyms	Cd27l, Cd27lg, Tnfsf7
-----------------	-----------------------

Fusion Partners	Spleen cells from immunized F344/DuCrj rats were fused with cells of the mouse P3U1 myeloma cell line
------------------------	---

Specificity	<p>Rat anti Mouse CD70 antibody, clone FR70 recognizes mouse CD70, a 30-33 kDa type II transmembrane protein belonging to the TNF superfamily. CD70 is not expressed on resting T cells and B cells but expression is induced on activation. Interaction of CD70 with its ligand CD27 is reported to play an important role in T cell co-stimulation and the regulation of T-dependant B cell activation and antibody production.</p> <p>Clone FR70 is reported to block the functions of CD70 and has been used to block the interactions between CD27 and CD70 (Oshima et al.).</p>
--------------------	--

Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity Fc receptors. This may be reduced by using SeroBlock FcR (BUF041A/B).
-----------------------	---

References	<ol style="list-style-type: none">Oshima, H. <i>et al.</i> (1998) Characterization of murine CD70 by molecular cloning and mAb. Int Immunol. 10 (4): 517-26.Takeda, K. <i>et al.</i> (2000) CD27-mediated activation of murine NK cells. J Immunol. 164 (4): 1741-5.Akiba, H. <i>et al.</i> (2000) Critical contribution of OX40 ligand to T helper cell type 2 differentiation in experimental leishmaniasis. J Exp Med. 191 (2): 375-80.Akiba, H. <i>et al.</i> (1999) CD28-independent costimulation of T cells by OX40 ligand and CD70 on activated B cells. J Immunol. 162 (12): 7058-66.Hadziahmetovic, M. <i>et al.</i> (2012) Microarray Analysis of Murine Retinal Light Damage Reveals Changes in Iron Regulatory, Complement, and Antioxidant Genes in the Neurosensory Retina and Isolated RPE. Invest Ophthalmol Vis Sci. 53: 5231-41.
-------------------	---

Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
----------------	--

Guarantee	18 months from date of despatch.
------------------	----------------------------------

Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a
-------------------------	--

per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at:
10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

[MOUSE SEROBLOCK FcR \(BUF041A\)](#)

[MOUSE SEROBLOCK FcR \(BUF041B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

 Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

 Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

 Email: antibody_sales_de@bio-rad.com

'M341833:190109'

Printed on 11 Oct 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)