

Datasheet: MCA2309

Description:	MOUSE ANTI PIG CD11R3
Specificity:	CD11R3
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	2F4/11
Isotype:	IgG1
Quantity:	0.25 mg

Product Details

RRID AB_2129269

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/50
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting	▪			
Functional Assays (1)			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) **Removal of sodium azide is recommended prior to use in functional assays - Bio-Rad recommend the use of [EQU003](#) for this purpose.**

Target Species	Pig
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen	Porcine alveolar macrophages
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the X63-Ag.8.653 myeloma cell line
Specificity	<p>Mouse anti Pig CD11R3, clone 2F4/11 recognizes porcine CD11R3, a ~155 kDa cell surface glycoprotein, member of the alpha integrin family. Mouse anti Pig CD11R3, clone 2F4/11 was clustered as CD11R3 at the Third International Workshop on Swine Leukocyte Differentiation Antigens (Haverson et al. 2001). CD11R3 has a similar expression pattern to the human CD11b marker, being expressed on granulocytes, monocytes and alveolar macrophages, but not on lymphocytes, erythrocytes or platelets (Dominguez et al. 2001).</p> <p>Mouse anti Pig CD11R3, clone 2F4/11 is reported to block phagocytosis of complement-opsonized zymosan particles by polymorphonuclear granulocytes and alveolar macrophages (Bullido et al. 1996).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to 1x10 ⁶ cells in 100ul.
Histology Positive Control Tissue	Porcine spleen.
Western Blotting	MCA2309 detects a band of approximately 155 kDa in alveolar macrophage lysates under reducing conditions.
References	<ol style="list-style-type: none"> Sbrana, S. <i>et al.</i> (2014) Phenotype Changes of Circulating Monocytes in a Hypercholesterolemic Swine Model of Coronary Artery Disease J Cytol Histol 5:270. Domínguez, J. <i>et al.</i> (2001) Workshop studies on monoclonal antibodies in the myeloid panel with CD11 specificity. Vet Immunol Immunopathol. 80 (1-2): 111-9. Sánchez-Torres C <i>et al.</i> (2003) Expression of porcine CD163 on monocytes/macrophages correlates with permissiveness to African swine fever infection. Arch Virol. 148 (12): 2307-23. Van de Walle, G.R. <i>et al.</i> (2003) Transmission of pseudorabies virus from immune-masked blood monocytes to endothelial cells. J Gen Virol. 84 (Pt 3): 629-37. Alvarez, B. <i>et al.</i> (2000) Molecular and functional characterization of porcine LFA-1 using monoclonal antibodies to CD11a and CD18. Xenotransplantation 7: 258-266 Sánchez, C. <i>et al.</i> (1999) The porcine 2A10 antigen is homologous to human CD163 and related to macrophage differentiation. J Immunol. 162: 5230-7 Thorgersen, E.B. <i>et al.</i> (2010) Anti-inflammatory effects of C1-Inhibitor in porcine and human whole blood are independent of its protease inhibition activity. Innate Immun. 16: 254-64 Thorgersen, E.B. <i>et al.</i> (2010) CD14 inhibition efficiently attenuates early inflammatory and hemostatic responses in <i>Escherichia coli</i> sepsis in pigs. FASEB J. 24: 712-22 Baert K <i>et al.</i> (2015) Cell type-specific differences in β-glucan recognition and signalling in porcine innate immune cells. Dev Comp Immunol. 48 (1): 192-203. Barratt-Due, A. <i>et al.</i> (2011) <i>Ornithodoros moubata</i> Complement Inhibitor Is an Equally Effective C5 Inhibitor in Pigs and Humans. J Immunol. 187: 4913-9 Jacobsen, M.J. (2015) Altered Methylation Profile of Lymphocytes Is Concordant with Perturbation of Lipids Metabolism and Inflammatory Response in Obesity Journal of Diabetes Research Article ID 610546 [Epub ahead of print] Crisci, E. <i>et al.</i> (2012) Chimeric calicivirus-like particles elicit specific immune responses in pigs. Vaccine. 30 (14): 2427-39. Debeer, S. <i>et al.</i> (2013) Comparative histology and immunohistochemistry of porcine versus human skin. Eur J Dermatol. 23 (4): 456-66. Westover, A.J. <i>et al.</i> (2016) An Immunomodulatory Device Improves Insulin Resistance in

Further Reading	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. Vet Res. 39: 54
------------------------	---

Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	---

Shelf Life	18 months from date of despatch.
-------------------	----------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Goat Anti Mouse IgG (STAR77...) [HRP](#)
Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Rabbit Anti Mouse IgG (STAR8...) [DyLight@800](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#),
[DyLight@649](#), [DyLight@680](#), [DyLight@800](#),
[FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

'M334577:181203'

Printed on 02 Jan 2019