

Datasheet: MCA2310GA

BATCH NUMBER 167515

Description:	MOUSE ANTI PIG CD46
Specificity:	CD46
Other names:	MEMBRANE CO-FACTOR PROTEIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	6D8/8
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/50
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN ₃)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Porcine peripheral blood mononuclear cells.
External Database Links	<p>UniProt: O02839 Related reagents</p> <p>Entrez Gene: 396922 CD46 Related reagents</p>
Synonyms	MCP
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the X63-Ag.8.653 myeloma cell line
Specificity	<p>Mouse anti Pig CD46, clone 6D8/8 recognizes the porcine CD46 cell surface antigen, a ~50-60 kDa glycoprotein also known as membrane cofactor protein (MCP).</p> <p>Porcine CD46 is expressed on a wide range of cells including leucocytes, platelets and erythrocytes. CD46 serves as an inhibitor of complement activation on host cells.</p> <p>Mouse anti Pig CD46, clone 6D8/8 induces homotypic cell aggregation, (Bullido <i>et al.</i> 2000). .</p> <p>Mouse anti pig CD46, clone 6D8/8 detects a series of closely apposed bands of approximately 50-60 kDa in pig erythrocyte lysates (Perez De La Lastra <i>et al.</i> 1999).</p>
Flow Cytometry	Use 10µl of the suggested working dilution to 1x10 ⁶ cells in 100µl
References	<ol style="list-style-type: none"> 1. Perez de la Lastra, J.M. <i>et al.</i> (1999) Epitope mapping of 10 monoclonal antibodies against the pig analogue of human membrane cofactor protein (MCP). Immunology 96: 663-670. 2. Bullido, R. <i>et al.</i> (2000) Induction of aggregation in porcine lymphoid cells by antibodies to CD46. Vet Immunol Immunopathol. 73: 73-81. 3. Dräger, C. <i>et al.</i> (2015) Porcine complement regulatory protein CD46 and heparan sulfates are the major factors for classical swine fever virus attachment in vitro. Arch Virol. 160: 739-46.
Further Reading	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. Vet Res. 39: 54.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2310GA 10040
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M429131:240320'

Printed on 20 Mar 2024