

Datasheet: MCA2321

Description:	MOUSE ANTI HUMAN MAdCAM-1
Specificity:	MAdCAM-1
Other names:	MUCOSAL ADDRESSIN CELL ADHESION MOLECULE-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	17F5
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

RRID AB_567121

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/10 - 1/100
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			1/50 - 1/100
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting (1)	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using the appropriate negative/positive controls.

(1) **Clone 17F5 recognizes human MAdCAM-1 under non-reducing conditions.**

Target Species Human

Species Cross Reactivity Reacts with: Camel
N.B. Antibody reactivity and working conditions may vary between species.

Product Form Purified IgG - liquid

Preparation Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution Phosphate buffered saline

Preservative Stabilisers 0.09% Sodium Azide

Carrier Free Yes

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant soluble MAdCAM-1-fc fusion protein.
External Database Links	<p>UniProt: Q13477 Related reagents</p> <p>Entrez Gene: 8174 MADCAM1 Related reagents</p>
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the mouse P3X63Ag8.653 myeloma cell line.
Specificity	Mouse anti Human MAdCAM-1 antibody, clone 17F5 recognizes human mucosal addressin cell adhesion molecule 1 (MAdCAM-1) a ~60 kDa transmembrane protein that belongs to the immunoglobulin superfamily. MAdCAM-1 is strongly expressed on mucosal lymphoid tissue and high endothelial venules of Peyer's patches. Human MAdCAM-1 interacts with the beta 7 integrin LPAM-1 (alpha4beta7), CD62L, and VLA-4 (alpha4beta1) and is involved in lymphocyte trafficking, Clone 17F5 recognizes the mucin domain of MAdCAM-1. This antibody does not block the function of MAdCAM-1 (Leung, E. et al. 2004).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
Immunohistology	This product does not require protein digestion prior to staining. This product does not require HIER prior to staining.
Western Blotting	MCA2321 detects a band of approximately 60kDa.
References	<ol style="list-style-type: none"> 1. Leung, E. <i>et al.</i> (1996) Cloning of the mucosal addressin MAdCAM-1 from human brain: identification of novel alternatively spliced transcripts. Immunol Cell Biol. 74 (6): 490-6. 2. Leung, E. <i>et al.</i> (2004) Bioassay detects soluble MAdCAM-1 in body fluids. Immunol Cell Biol. 82 (4): 400-9. 3. Al-Mohammed Salem, K.T. <i>et al.</i> (2012) Adhesion Molecules and the Cellular Population of the Normal Camel (<i>Camelus dromedaries</i>) Mammary Glands The Open Veterinary Science Journal. 6 (1): 15-22. 4. Guerra-Pérez N <i>et al.</i> (2015) Retinoic acid imprints a mucosal-like phenotype on dendritic cells with an increased ability to fuel HIV-1 infection. J Immunol. 194 (5): 2415-23. 5. Loiseau, C. <i>et al.</i> (2016) CCR6(-) regulatory T cells blunt the restoration of gut Th17 cells along the CCR6-CCL20 axis in treated HIV-1-infected individuals. Mucosal Immunol. 9 (5): 1137-50.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	18 months from date of despatch.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Goat Anti Mouse IgG (STAR77...) [HRP](#)
Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Rabbit Anti Mouse IgG (STAR8...) [DyLight@800](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@680](#),
[DyLight@800](#), [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

'M345599:190125'

Printed on 20 May 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)