

Datasheet: MCA2330PE

Description:	MOUSE ANTI HUMAN CD312:RPE
Specificity:	CD312
Other names:	EMR2
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	2A1
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Human

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution

Reconstitute with 1.0 ml distilled water

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide
 1% Bovine Serum Albumin
 5% Sucrose

Immunogen NIH-3T3 cells stably transfected with EMR2 (EGF1-5) cDNA.

External Database

Links

UniProt:

[Q9UHX3](#) [Related reagents](#)

Entrez Gene:

[30817](#) EMR2 [Related reagents](#)

RRID

AB_566729

Fusion Partners

Spleen cells from immunized Balb/c mice were fused with cells of the mouse SP2/0 myeloma cell line.

Specificity

Mouse anti Human CD312 antibody, clone 2A1 recognizes human EMR2, a member of the epidermal growth factor-seven transmembrane (EGF-TM7) family of proteins, which is closely related to CD97. EMR2, also known as CD312, is predominantly expressed on myeloid dendritic cells, monocytes and tissue macrophages. Various isoforms of EMR2 have been documented. The ligand for the largest isoform of EMR2 has recently been identified as chondroitin sulphate, which binds to the fourth EGF-like module of EMR2. Mouse anti Human CD312 antibody, clone 2A1 recognizes the stalk region of EMR2.

Flow Cytometry

Use 10ul of the suggested working dilution to label 10^6 cells in 100ul.

References

1. Kwakkenbos, M.J. *et al.* (2002) The human EGF-TM7 family member EMR2 is a heterodimeric receptor expressed on myeloid cells. [J Leukoc Biol. 71 \(5\): 854-62.](#)
 2. Stacey, M. *et al.* (2003) The epidermal growth factor-like domains of the human EMR2 receptor mediate cell attachment through chondroitin sulfate glycosaminoglycans. [Blood. 102 \(8\): 2916-24.](#)
 3. Lin, H.H. *et al.* (2004) Autocatalytic cleavage of the EMR2 receptor occurs at a conserved G protein-coupled receptor proteolytic site motif. [J Biol Chem. 279 \(30\): 31823-32.](#)
 4. Yona, S. *et al.* (2008) Ligation of the adhesion-GPCR EMR2 regulates human neutrophil function. [FASEB J. 22 \(3\): 741-51.](#)
 5. Tseng, W.Y. *et al.* (2013) Increased soluble CD4 in serum of rheumatoid arthritis patients is generated by matrix metalloproteinase (MMP)-like proteinases. [PLoS One. 8 \(5\): e63963.](#)
 6. Huang, Y.S. *et al.* (2018) Membrane-association of EMR2/ADGRE2-NTF is regulated by site-specific N-glycosylation. [Sci Rep. 8 \(1\): 4532.](#)
 7. Shankar-Hari, M. *et al.* (2018) Early PREdiction of sepsis using leukocyte surface biomarkers: the ExPRES-sepsis cohort study. [Intensive Care Med. 44 \(11\): 1836-48.](#)
 8. Bhudia, N. *et al.* (2020) G Protein-Coupling of Adhesion GPCRs ADGRE2/EMR2 and ADGRE5/CD97, and Activation of G Protein Signalling by an Anti-EMR2 Antibody. [Sci Rep. 10 \(1\): 1004.](#)
-

Further Reading

1. Kwakkenbos, M.J. *et al.* (2004) The EGF-TM7 family: a postgenomic view. [Immunogenetics. 55 \(10\): 655-66.](#)
-

Storage Store at +4°C.

DO NOT FREEZE

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #20487 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA2330PE>
20487

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:RPE \(MCA928PE\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M419296:230616'

Printed on 17 Jan 2025

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)