

Datasheet: MCA2331 BATCH NUMBER 1612

Description:	MOUSE ANTI HUMAN CD22
Specificity:	CD22
Other names:	BL-CAM
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MEM-01
lsotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/100 - 1/200
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation				
Western Blotting (1)				
Where this antibody has	not been	tested fo	r use in a particular tec	hnique this does not
necessarily exclude its us	se in such	n procedi	ures. It is recommended	I that the user titrates
the antibody for use in the	eir own s	ystem us	ing appropriate negative	e/positive controls.

(1)Clone MEM-01 recognizes human CD22 under non-reducing conditions. PTR

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant	from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Burkitt's lymphoma cell line Raji
External Database Links	UniProt: P20273 Related reagents Entrez Gene: 933 CD22 Related reagents
Synonyms	SIGLEC2
RRID	AB_566644
Specificity	Mouse anti Human CD22 antibody, clone MEM-01 recognizes the human CD22 cell surface antigen, a ~130/140 kDa glycoprotein expressed by cells of B lymphocyte lineage.
	CD22 is initially expressed cytoplasmically and subsequently on the cell surface during B cell maturation. Expression is lost upon terminal differentiation to plasma cells.
Flow Cytometry	Line 40-ul of the environments diversition at labor 1406 collection 400-ul
riew cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
Western Blotting	Clone MEM-01 detects a band of approximately 140kD in cell lysates under non reducing conditions.
	Clone MEM-01 detects a band of approximately 140kD in cell lysates under non reducing
Western Blotting	Clone MEM-01 detects a band of approximately 140kD in cell lysates under non reducing conditions.
Western Blotting	Clone MEM-01 detects a band of approximately 140kD in cell lysates under non reducing conditions. Store at +4°C or at -20°C if preferred.
Western Blotting	Clone MEM-01 detects a band of approximately 140kD in cell lysates under non reducing conditions. Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we
Western Blotting Storage	Clone MEM-01 detects a band of approximately 140kD in cell lysates under non reducing conditions. Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)RPEGoat Anti Mouse IgG IgA IgM (STAR87...)HRP

Goat Ant	i Mouse IgG (STAR76)	E	<u>RPE</u>			
Rabbit A	nti Mouse IgG (STAR13	.) <u>F</u>	IRP			
Goat Ant	i Mouse IgG (STAR70)	E	<u>FITC</u>			
Goat Anti Mouse IgG (H/L) (STAR117)			<u>Alk. Phos., DyLight®488, DyLight®550,</u>			
		<u> </u>	DyLight®650, DyLight®680, DyLight®800,			
		E	ITC, HRP			
Rabbit A	nti Mouse IgG (STAR9)	E	<u>ITC</u>			
Goat Ant	i Mouse IgG (STAR77)	E	IRP			
Goat Anti Mouse IgG (Fc) (STAR120)			FITC, HRP			
Recommended Negative Controls						
MOUSE IgG1 NEGATIVE CONTROL (MCA928)						
North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	
America	Fax: +1 919 878 3751 Email: antibody sales us@bio-rac	Lcom	Fax: +44 (0)1865 852 739 Email: antibody sales uk@		Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	
	Email: antibody_sales_us@blo-lac				Linan. antibody_sales_de@bio-lad.com	

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366661:200529'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint