

Datasheet: MCA2338GA

BATCH NUMBER 1601

Description:	MOUSE ANTI BOVINE CD13
Specificity:	CD13
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CC81
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/100 - 1/1000
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Bovine
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Cells from cattle intestine.
External Database Links	<p>UniProt: P79098 Related reagents</p> <p>Entrez Gene: 404191 ANPEP Related reagents</p>
Synonyms	APN
Specificity	<p>Mouse anti bovine CD13, clone CC81, recognises bovine CD13, a 150 kDa type II membrane protein shown to be a metallopeptidase in humans. In cattle the antigen recognised by clone CC81 is primarily expressed on enterocytes and cells with a dendritic morphology in the small intestine. Clone CC81 also defines a subpopulation of dendritic cells in afferent lymph that are CC81 Ag +ve and SIRPalpha -ve, which show differences in their capacities to stimulate T cells and cytokine synthesis compared to the CC81 Ag -ve SIRPalpha +ve dendritic cells.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> Howard, C.J. <i>et al.</i> (1997) Identification of two distinct populations of dendritic cells in afferent lymph that vary in their ability to stimulate T cells. J Immunol. 159 (11): 5372-82. Hope, J.C. <i>et al.</i> (2001) Differences in the induction of CD8+ T cell responses by subpopulations of dendritic cells from afferent lymph are related to IL-1 alpha secretion. J Leukoc Biol. 69 (2): 271-9. Stephens, S. A. <i>et al.</i> (2003) Differences in cytokine synthesis by the sub-populations of dendritic cells from afferent lymph. Immunology. 110: 48-57. Bastos, R.G. <i>et al.</i> (2008) Bovine NK cells acquire cytotoxic activity and produce IFN-gamma after stimulation by <i>Mycobacterium bovis</i> BCG or <i>Babesia bovis</i>-exposed splenic dendritic cells. Vet Immunol Immunopathol. 124: 302-12. Schneider DA <i>et al.</i> (2011) Dynamics of bovine spleen cell populations during the acute response to <i>Babesia bovis</i> infection: an immunohistological study. Parasite Immunol. 33 (1): 34-44. Fries, P.N. <i>et al.</i> (2011) Age-related changes in the distribution and frequency of myeloid and T cell populations in the small intestine of calves. Cell Immunol. 271 (2): 428-37. Fries, P. <i>et al.</i> (2011) Mucosal dendritic cell subpopulations in the small intestine of newborn calves. Dev Comp Immunol. 35 (10): 1040-51. Toka, F.N. <i>et al.</i> (2011) Rapid and transient activation of γδ T cells to IFN-γ production, NK cell-like killing, and antigen processing during acute virus infection. J Immunol. 186 (8): 4853-61.
Storage	Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2338GA
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR13...)	HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M366672:200529'

Printed on 29 Jul 2025