# Datasheet: MCA2344 BATCH NUMBER 1804

Description:	MOUSE ANTI HUMAN CD221
Specificity:	CD221
Other names:	IGF-1 RECEPTOR
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	1H7
Isotype:	lgG1
Quantity:	0.2 mg

# **Product Details**

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	rad-antibodies.com/proto	<u>cois</u> .				
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry				1/10	
	Immunohistology - Frozen			•		
	Immunohistology - Paraffin (1)	-			1/10 - 1/40	
	ELISA			•		
	Immunoprecipitation			•		
	Western Blotting					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls. (1) <b>This product requires protein digestion pre-treatment of paraffin sections e.g.</b> <b>trypsin or pronase.</b>					
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by supernatant	affinity cl	hromatog	raphy on Protein G fro	m tissue culture	

Buffer Solution Phosphate buffered saline

Preservative Stabilisers	0.09% Sodium Azide			
Carrier Free	Yes			
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml			
Immunogen	Purified human placental IGF-I receptor.			
External Database Links	UniProt: <u>P08069</u> <u>Related reagents</u>			
	Entrez Gene: <u>3480</u> IGF1R <u>Related reagents</u>			
RRID	AB_566647			
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the SP2/0 myeloma cell line.			
Specificity	<ul> <li>Mouse anti Human CD221 antibody, clone 1H7 recognizes human CD221, a ~155 kDa receptor tyrosine kinase, also known as Insulin-like growth factor I receptor (IGF-I Receptor). CD221 is composed of two extracellular alpha-subunits and two transmembrane beta-subunits. Clone 1H7 recognizes an epitope in the alpha subunits of CD221, demonstrated by western blotting (Li <i>et al.</i>1993).</li> <li>CD221 is expressed in a range of tissues, including kidney, liver, placenta, mammary gland, brain, ovary and skin.</li> <li>The ligands for CD221 include IGF-I and IGF-II, which bind to CD221 and activate tyrosine kinase activity, resulting in phosphorylation of several intracellular signaling proteins. Clone 1H7 is reported to partially block binding of IGF-I and IGF-II to CD221 (Li <i>et al.</i>1993).</li> </ul>			
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.			
Histology Positive Control Tissue	Pancreas, placenta			
References	<ol> <li>Li, S.L. <i>et al.</i> (1993) Two new monoclonal antibodies against the alpha subunit of the human insulin-like growth factor-I receptor. <u>Biochem Biophys Res Commun. 196 (1): 92-8.</u></li> <li>Beauvais, D.M. &amp; Rapraeger, A.C. (2010) Syndecan-1 couples the insulin-like growth factor-1 receptor to inside-out integrin activation. <u>J Cell Sci. 123 (Pt 21): 3796-807.</u></li> <li>Krieger, C.C. <i>et al.</i> (2016) Thyrotropin/IGF-1 receptor crosstalk in Graves' ophthalmopathy pathogenesis. <u>J Clin Endocrinol Metab. Apr 4: jc20161315. [Epub ahead of print]</u></li> <li>van Valen, F. <i>et al.</i> (2012) A Novel Role of IGF1 in Apo2L/TRAIL-Mediated Apoptosis of</li> </ol>			

	Ewing Tumor Cells. <u>Sarcoma. 2012: 782970.</u>
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2344 10040
Regulatory	For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>				
Goat Anti Mouse IgG (STAR76)	RPE			
Rabbit Anti Mouse IgG (STAR13)	HRP			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
	DyLight®650, DyLight®680, DyLight®800,			
	<u>FITC</u> , <u>HRP</u>			
Rabbit Anti Mouse IgG (STAR9)	FITC			
Goat Anti Mouse IgG (STAR77)	HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP			
Recommended Negative Controls				

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bic	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366673:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint