

Datasheet: MCA2344EL

### **BATCH NUMBER 1610**

Description:	MOUSE ANTI HUMAN CD221:Low Endotoxin		
Specificity:	CD221		
Other names:	IGF-1 RECEPTOR		
Format:	Low Endotoxin		
Product Type:	Monoclonal Antibody		
Clone:	1H7		
Isotype:	IgG1		
Quantity:	0.5 mg		

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/10
Immunohistology - Frozen				
Immunohistology - Paraffin (1)	•			1/10 - 1/40
ELISA				
Immunoprecipitation				
Western Blotting				
Functional Assays	•			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1)This product requires protein digestion pre-treatment of paraffin sections e.g. trypsin or pronase.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

<b>Buffer Solution</b>	Phosphate buffered saline		
Preservative Stabilisers	None present		
Carrier Free	Yes		
Endotoxin Level	< 0.01 EU/ug		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Purified human placental IGF-I receptor.		
External Database Links	UniProt: P08069 Related reagents  Entrez Gene: 3480 IGF1R Related reagents		
RRID	AB_566648		
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the SP2/0 myeloma cell line.		
Specificity	Mouse anti Human CD221 antibody, clone 1H7 recognizes human CD221, a ~155 kDa receptor tyrosine kinase, also known as Insulin-like growth factor I receptor (IGF-I Receptor). CD221 is composed of two extracellular alpha-subunits and two transmembrane beta-subunits. Clone 1H7 recognizes an epitope in the alpha subunits of CD221, demonstrated by western blotting ( <u>Li et al.1993</u> ).		
	CD221 is expressed in a range of tissues, including kidney, liver, placenta, mammary gland, brain, ovary and skin.		
	The ligands for CD221 include IGF-I and IGF-II, which bind to CD221 and activate tyrosine kinase activity, resulting in phosphorylation of several intracellular signaling proteins. Clone 1H7 is reported to partially block binding of IGF-I and IGF-II to CD221 ( <u>Li et al.1993</u> ).		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.		
Histology Positive Control Tissue	Pancreas, placenta		
References	1. Li, S.L. <i>et al.</i> (1993) Two new monoclonal antibodies against the alpha subunit of the human insulin-like growth factor-I receptor. <u>Biochem Biophys Res Commun. 196 (1): 92-8.</u> 2. Beauvais, D.M. & Rapraeger, A.C. (2010) Syndecan-1 couples the insulin-like growth factor-1 receptor to inside-out integrin activation. <u>J Cell Sci. 123 (Pt 21): 3796-807.</u>		

3. Krieger, C.C. *et al.* (2016) Thyrotropin/IGF-1 receptor crosstalk in Graves' ophthalmopathy pathogenesis. <u>J Clin Endocrinol Metab. Apr 4: jc20161315. [Epub ahead of print]</u>

4. van Valen, F. *et al.* (2012) A Novel Role of IGF1 in Apo2L/TRAIL-Mediated Apoptosis of Ewing Tumor Cells. Sarcoma. 2012: 782970.

Storage Store at -20°C only.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

# **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Rabbit Anti Mouse IgG (STAR13...) <u>HRP</u>

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

### **Recommended Negative Controls**

### MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin (MCA928EL)

North & South Tel: +1 800 265 7376 W America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366675:200529'

#### Printed on 18 Jan 2024